

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 17/02/2025 Revision date: 28/08/2024 Supersedes version of: 01/09/2023 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	
UFI	
Product code	
Type of product	
Vaporizer	

: QD-Contact Cleaner : 90NX-T899-F00G-P04Y

- : BDS000125AE
- : Detergent
- : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category Use of the substance/mixture : Professional use : Cleaners - Precision

1.3. Details of the supplier of the safety data sheet

Supplier

CRC Industries Europe B.V. Touwslagerstraat 1 9240 Zele Belgium T +32(0)52/45.60.11, F +32(0)52/45.00.34 hse@crcind.com, www.crcind.com

1.4. Emergency telephone number

Emergency number

+32(0)52/45.60.11 5 Office hours: 9-17h CET

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictograms (CLP)

Labelling according to Regulation (EC) No. 1272/2008 [CLP] GHS02 GHS07 GHS09

Signal word (CLP) Contains

: Danger

: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane;Hydrocarbons, C7, nalkanes, isoalkanes, cyclics

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) :	H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H315 - Causes skin irritation.
	H336 - May cause drowsiness or dizziness.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP) :	P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P271 - Use only outdoors or in a well-ventilated area.
	P261 - Avoid breathing vapours/spray.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
	P501 - Dispose of contents/container to a hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	EC-No.: 921-024-6 REACH-no: 01-2119475514- 35	25 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	EC-No.: 927-510-4 REACH-no: 01-2119475515- 33	25 – 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Carbon dioxide (CO2) (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit	CAS-No.: 124-38-9	1 – 5	Press. Gas (Comp.), H280

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measu	ires	
First-aid measures general	: Call a physician immediately.	

First-aid measures after inhalation

- : Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop, get medical attention.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get
	medical advice/attention. Seek medical attention if irritation develops.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Seek medical attention if irritation develops.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after ingestion	: Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Pressurised container: May burst if heated. During fire, gases hazardous to health may be formed. 	
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting	 Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel		
Protective equipment	: Wear appropriate protective equipment and clothing during clean-up.	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.	
For emergency responders		

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Evacuate unnecessary personnel. Ventilate area. 6.2. Environmental precautions

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Mechanically recover the product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to	
Other information	remove residual contamination. : Dispose of materials or solid residues at an authorized site.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

For disposal of contaminated materials refer to section 13 : "Disposal considerations".

e		
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industrial hygiene and safety procedures.		
: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities		
: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.		

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Carbon dioxide (CO2) (124-38-9)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Carbon dioxide	
IOEL TWA	9000 mg/m³	
	5000 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Belgium - Occupational Exposure Limits		
Local name	Carbone (dioxyde de) # Koolstofdioxide	
OEL TWA	9131 mg/m³	
	5000 ppm	
OEL STEL	54784 mg/m³	
	30000 ppm	
Remark	A: la mention "A" signifie que l'agent libère un gaz ou une vapeur qui n'ont en eux-mêmes aucun effet physiologique mais peuvent diminuer le taux d'oxygène dans l'air. Lorsque le taux d'oxygène descend en dessous de 17-18 % (vol/vol) le manque d'oxygène provoque des suffocations qu'aucun symptôme préalable n'annonce. # A: de vermelding "A" betekent dat dit agens gas of damp vrijgeeft dat of die op zich geen fysiologische werking heeft, maar het zuurstofgehalte in de lucht verlaagt. Wanneer het zuurstofgehalte daalt onder de 17-18 % (vol/vol), veroorzaakt het zuurstoftekort verstikking, die zich manifesteert zonder dat er een waarschuwing aan voorafgaat.	
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

DNEL and PNEC

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	773 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	2035 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	699 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation 608 mg/m ³			
Long-term - systemic effects, dermal	699 mg/kg bodyweight/day		
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	300 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	2085 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	149 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	447 mg/m³		
Long-term - systemic effects, dermal	149 mg/kg bodyweight/day		

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protection equipment

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended.

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: AX

Thermal hazards

Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: CO2 propelled liquid.
Odour	· Solvent
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: 60 – 100 °C
Flammability	: Extremely flammable aerosol.
Explosive properties	: Pressurised container: May burst if heated.
Lower explosion limit	Not available
Upper explosion limit	Not available
Flash point	: -35 °C (closed cup)
Auto-ignition temperature	: > 200 °C
Decomposition temperature	: Not available
pH	: Not applicable
' Viscosity, kinematic	: < 10 mm²/s at 40 °C
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not applicable
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0,7 g/cm³ at 20 °C
Relative density	0,7 at 20 °C
Relative vapour density at 20°C	Not available
Particle characteristics	: Not applicable
9.2. Other information	

Information with regard to physical hazard classes				
% of flammable ingredients	: 75 – 100 %			
Other safety characteristics				
VOC content Additional information	665 g/lFor aerosols data for the product without propellant.			

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information				
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Acute toxicity (dermal)	Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cyclics, <5% n-hexane			
LD50 oral rat	5841 mg/kg			
LD50 dermal rat	2800 – 3100 mg/kg bodyweight			
LC50 Inhalation - Rat	> 25,2 mg/l/4h			
Hydrocarbons, C7, n-alkanes, isoalkanes, cyc	lics			
LD50 oral rat	> 5000 mg/kg bodyweight			
LD50 dermal rabbit	> 2000 mg/kg bodyweight			
LC50 Inhalation - Rat	> 23,3 mg/l/4h			
	Causes skin irritation. pH: Not applicable			
	Not classified (Based on available data, the classification criteria are not met) pH: Not applicable			
Germ cell mutagenicity:Carcinogenicity:Reproductive toxicity:	Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) May cause drowsiness or dizziness.			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cyclics, <5% n-hexane			
STOT-single exposure	May cause drowsiness or dizziness.			
Hydrocarbons, C7, n-alkanes, isoalkanes, cyc	lics			
STOT-single exposure	May cause drowsiness or dizziness.			
STOT-repeated exposure	Not classified (Based on available data, the classification criteria are not met)			
Hydrocarbons, C7, n-alkanes, isoalkanes, cyc	lics			
LOAEC (inhalation, rat, vapour, 90 days)	16,6 mg/l air			
NOAEC (inhalation, rat, vapour, 90 days)	3,3 mg/l air			
Aspiration hazard	May be fatal if swallowed and enters airways.			
QD-Contact Cleaner				
Vaporizer	Aerosol			
Viscosity, kinematic	< 10 mm²/s at 40 °C			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cyclics, <5% n-hexane			
Viscosity, kinematic	0,7 mm²/s at 20 °C			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics			
Viscosity, kinematic 0,67 mm²/s			
11.2. Information on other hazards			

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 12: Ecological information

12.1. Toxicity Ecology - general : Toxic to aquatic life with long lasting effects. Hazardous to the aquatic environment, short-term Not classified (Based on available data, the classification criteria are not met) (acute) Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects. (chronic) Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane LC50 - Fish [1] 11,4 mg/l EC50 - Crustacea [1] 3 mg/l EC50 72h - Algae [1] 10 mg/l LOEC (chronic) 0,32 mg/l NOEC (chronic) 0,17 mg/l NOEC chronic fish 2,04 mg/l NOFC chronic crustacea 1 mg/l Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics EC50 - Crustacea [1] 1,5 mg/l Daphnia magna (Water flea) LOEC (chronic) 0,32 mg/l (21 d) NOEC (chronic) 0,17 mg/l (21 d) 12.2. Persistence and degradability **QD-Contact Cleaner** Persistence and degradability Not established. No data is available on the degradability of this product. 12.3. Bioaccumulative potential **QD-Contact Cleaner**

 QD-Contact Cleaner

 Partition coefficient n-octanol/water (Log Kow)
 Not applicable

 Carbon dioxide (CO2) (124-38-9)

 Partition coefficient n-octanol/water (Log Pow)
 0,83

 12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment				
QD-Contact Cleaner				
Results of PBT assessment	Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII			
12.6. Endocrine disrupting properties				
Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) an not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.				
12.7. Other adverse effects				
QD-Contact Cleaner				
Other information	No other effects known			
Global warming potential (GWP)	0.05 (Fluorinated greenhouse gases - (EC) No 2024/573)			

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods European List of Waste (LoW, EC 2000/532)	 Dispose of contents/container in accordance with licensed collector's sorting instructions. According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the
	application for which the product was used.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
ADK	IMDG	IATA	ADN	KID
14.1. UN number or ID n	umber			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	iption			
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1 ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o	class(es)			
2.1	2.1	2.1	2.1	2.1
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
4.5. Environmental ha	zards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-D EmS-No. (Spillage): S-U	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
lo supplementary informati	ion available			

14.6. Special precautions for user

Special provisions (ADR) : 190, 327, 344, 625 Limited quantities (ADR) : 11 Excepted quantities (ADR) : P07, LP200 Special packing provisions (ADR) : PP87, RR6, L2 Mixed packing provisions (ADR) : PP87, RR6, L2 Mixed packing provisions (ADR) : V14 Special provisions for carriage - Deakages (ADR) : V14 Special provisions for carriage - Operation (ADR) : S2 Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : S2 Tunnel restriction code (ADR) : SP277 Excepted quantities (IMDG) : SP277 Excepted quantities (IMDG) : P00, LP200 Special provisions (IMDG) : SP207 Excepted quantities (IMDG) : SP277 Excepted quantities (IMDG) : SP207 Excepted quantities (IMDG) : SP201, L2 Stowage category (IMDG) : None Stowage and handling (IMDG) : SG99 Air transport : PCA Limited quantities (IATA) : Y203 PCA packing instructions (IATA) : 203	Overland transport	_
Limited quantities (ADR) : 11 Excepted quantities (ADR) : E0 Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : MP9 Transport category (ADR) : MP9 Transport category (ADR) : V14 Special provisions for carriage - Packages (ADR) : V14 Special provisions for carriage - Loading, unloading : CV9, CV12 and handling (ADR) Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D Transport by sea Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959 Limited quantities (IMDG) : SP277 Excepted quantities (IMDG) : P207, LP200 Special provisions (IMDG) : P207, LP200 Special packing provisions (IMDG) : P87, L2 Stowage category (IMDG) : None Stowage and handling (IMDG) : SW1, SW22 Segregation (IMDG) : SG69 Air transport PCA Excepted quantities (IATA) : SG69 Air transport PCA Excepted quantities (IATA) : SG69 PCA Limited quantities (IATA) : 203 PCA max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 203 PCA max net quantity (IATA) : 150kg Special provisions (IATA) : 203 CAO max net quantity (IATA) : 150kg Special provisions (IATA) : 10L Thand waterway transport Classification code (ADN) : 190, 327, 344, 625 Limited quantities (ATA) : 203 CAO max net quantity (IATA) : 10L Thand waterway transport Classification code (ADN) : 11 Excepted quantities (ADN) : 120 Special provisions (ADN) : 120 Air transport Classification code (ADN) : 120 Classification code (Classification code (ADR)	: 5F
Excepted quantities (ADR) : E0 Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2 Mixed packing provisions (ADR) : MP9 Transport category (ADR) : 2 Special provisions for carriage - Packages (ADR) : V14 Special provisions for carriage - Loading, unloading : CV9, CV12 and handling (ADR) : S2 Tunnel restriction code (ADR) : S2 Special provisions (IMDG) : S2777 Excepted quantities (IMDG) : S2777 Excepted quantities (IMDG) : S2777 Excepted quantities (IMDG) : P207, LP200 Special provisions (IMDG) : P207, LP200 Special provisions (IMDG) : S4 Stowage category (IMDG) : S669 Air transport PCA Excepted quantities (IATA) : S669 Air transport PCA Excepted quantities (IATA) : S2 CAO max net quantity (IATA) : S08GG PCA packing instructions (IATA) : 203 PCA max net quantity (IATA) : S08GG PCA packing instructions (IATA) : S08G Special provisions (IATA) : SF Special provisions (IATA) : E0 Equipment required (ADN) : F00 Excepted quantities (ADN) : SE Special provisions (IADN) : SE Cassification code (ADN) : VE01, VE04 Number of blue cones/lights (ADN) : S Special provisions (RID) : SF Special provisions (RID) :		
Packing instructions (ADR):P207, LP200Special packing provisions (ADR):PP87, RR6, L2Mixed packing provisions (ADR):2Special provisions for carriage - Packages (ADR):V14Special provisions for carriage - Loading, unloading:CV9, CV12and handling (ADR):S2Special provisions for carriage - Operation (ADR):S2Transport by sea:DTransport by sea:DSpecial provisions (IMDG)::63, 190, 277, 327, 344, 381, 959Limited quantities (IMDG)::SP277Excepted quantities (IMDG)::P207, LP200Special packing provisions (IMDG)::P207, LP200Special packing provisions (IMDG)::P207, LP200Special packing provisions (IMDG)::P207, LP200Special packing provisions (IMDG)::S00492Stowage actegory (IMDG)::NoneStowage actegory (IMDG)::SG69Air transport::203PCA Limited quantities (IATA)::203PCA Limited quantities (IATA)::203PCA Limited quantities (IATA)::203PCA haxinet quantity (IATA)::203CAO max net quantity (IATA)::203CAO max net quantity (IATA)::10LInstructions (IATA)::10L <tr< td=""><td></td><td></td></tr<>		
Special packing provisions (ADR):PP87, RR6, L2Mixed packing provisions (ADR):MP9Transport category (ADR):2Special provisions for carriage - Packages (ADR):V14Special provisions for carriage - Deating, unloading:CV9, CV12and handling (ADR):DSpecial provisions for carriage - Operation (ADR):S2Tunnel restriction code (ADR):DTransport by sea:DSpecial provisions (IMDG):63, 190, 277, 327, 344, 381, 959Limited quantities (IMDG)::Packing instructions (IMDG):P207, LP200Special packing provisions (IMDG):P207, LP200Special packing provisions (IMDG):NoneStowage category (IMDG):NoneSegregation (MDG):SW1, SW22Segregation (IMDG):SG69Air transport:203PCA Limited quantities (IATA):203PCA axepted quantities (IATA):203PCA axepted quantities (IATA):10LPCA axent quantity (IATA):10LPCA axent quantity (IATA):103, 327, 344, 625CAO packing instructions (IATA):10LPCA max net quantity (IATA):10LInland waterway transport:10LIcassification code (ADN)::Special provisions (ADN)::Icassification code (ADN)::		
Mixed packing provisions (ADR) : MP9 Transport category (ADR) : 2 Special provisions for carriage - Acading, unloading Special provisions for carriage - Loading, unloading Special provisions for carriage - Loading, unloading Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : S2 Transport by sea Special provisions (MDG) : 63, 190, 277, 327, 344, 381, 959 Limited quantities (IMDG) : SP277 Excepted quantities (IMDG) : P07, L200 Special provisions (IMDG) : P07, L2 Stowage category (IMDG) : None Stowage category (IMDG) : SW1, SW22 Segregation (IMDG) : SU3 PCA limited quantities (IATA) : 203 PCA limited quantities (IATA) : 203 CAO max net quantity (IATA) : 203 CAO max net quantity (IATA) : 10L Intend quantities (IATA) : 10L Intend quantities (IATA) : 10L Intend quantities (IATA) : 10L Intend quantities (IATA) : 10L Secret (IATA) : 10L Rail transport Classification code (RDN) : 1 Rail transport Classification code (RDD) : 1 Rail transport Classification code (RDD) : 5F Special provisions (RD) : 1 Secret provisions (RD) : 1 Classification code (RDD) : 1 Classification code (RDD) : 1 Classification code (RDD) : 1 Classification code (RDD) : 1 Secret provisions (RDD) : 1 Classification code (RDD) : 1 Secret provisions (RDD) : 1 Secret pr	- ()	
Transport category (ADR): 2Special provisions for carriage - Packages (ADR): V14Special provisions for carriage - Loading, unloading: CV9, CV12and handling (ADR): S2Special provisions for carriage - Operation (ADR): S2Transport by sea: DSpecial provisions (IMDG): 63, 190, 277, 327, 344, 381, 959Limited quantities (IMDG): SP277Excepted quantities (IMDG): P207, LP200Special provisions (IMDG): P207, LP200Special packing provisions (IMDG): NoneStowage category (IMDG): NoneStowage category (IMDG): SW1, SW22Segregation (IMDG): SG69Air transport: S03PCA Excepted quantities (IATA): Y03PCA Limited quantities (IATA): 203PCA acking instructions (IATA): 203PCA acking instructions (IATA): 150kgSpecial provisions (IATA): 10kgPCA packing instructions (IATA): 10kgPCA acking instructions (IATA): 10kgSpecial provisions (IATA): 10kgSpec		: PP87, RR6, L2
Special provisions for carriage - Packages (ADR):V14Special provisions for carriage - Loading, unloading:CV9, CV12and handling (ADR):DSpecial provisions for carriage - Operation (ADR):S2Tunnel restriction code (ADR):DTransport by sea:DSpecial provisions (IMDG):63, 190, 277, 327, 344, 381, 959Limited quantities (IMDG):SP277Excepted quantities (IMDG):P07, LP200Special provisions (IMDG):P07, L2Stowage category (IMDG):NoneStowage category (IMDG):SW1, SW22Segregation (IMDG):SG69Air transport:203PCA Limited quantities (IATA):30kgGPCA inited quantity (IATA):203PCA max net quantity (IATA):203PCA max net quantity (IATA):10LPCA opacking instructions (IATA):10LPCA inited quantity max net quantity (IATA):203CAO max net quantity (IATA):10LPCA inited quantities (IATA):10LInland waterway transport:1Classification code (ADN):1ERG code (IATA):10LInited quantities (IATA):5FSpecial provisions (IATA):10LInited quantities (IATA):5FSpecial provisions (IATA):10LERG code (IATA): <td< th=""><th></th><th></th></td<>		
Special provisions for carriage - Loading, unloading:CV9, CV12and handling (ADR):S2Special provisions for carriage - Operation (ADR):S2Tunnel restriction code (ADR):DTransport by sea:S2Special provisions (IMDG)::Limited quantities (IMDG):SP277Excepted quantities (IMDG):P207, LP200Special packing provisions (IMDG):P207, LP200Special packing provisions (IMDG):PV87, L2Stowage category (IMDG):SW1, SW22Segregation (IMDG):SG69Air transport:SG69PCA Limited quantities (IATA):203PCA max net quantity (IATA):203PCA imited quantities (IATA):203PCA max net quantity (IATA):10LPCA code (IATA):10LInland waterway transport:1Classification code (ADN)::Excepted quantities (ADN)::Excepted quantities (ADN)::Special provisions (IATA)::Special provisions (ADN)::Special provisions (ADN)::Special provisions (ADN)::Special provisions (ADN)<		
and handling (ADR)Special provisions for carriage - Operation (ADR):Special provisions for carriage - Operation (ADR):DTransport by seaSpecial provisions (IMDG):63, 190, 277, 327, 344, 381, 959Limited quantities (IMDG):Excepted quantities (IMDG):Special provisions (IMDG):Packing instructions (IMDG):Pecial packing provisions (IMDG):Pecial packing provisions (IMDG):Pecial packing provisions (IMDG):Stowage category (IMDG):Stowage and handling (IMDG):Segregation (IMTA):Segregation (IMTA):Segregation (IMTA):Segregation (IATA):		
Tunnel restriction code (ADR): DTransport by seaSpecial provisions (IMDG): 63, 190, 277, 327, 344, 381, 959Limited quantities (IMDG): SP277Excepted quantities (IMDG): E0Packing instructions (IMDG): P207, LP200Special packing provisions (IMDG): NoneStowage category (IMDG): NoneStowage category (IMDG): SW1, SW22Segregation (IMDG): SG69Air transportPCA Excepted quantities (IATA): Y203PCA Limited quantities (IATA): Y203PCA limited quantities (IATA): 203PCA packing instructions (IATA): 203PCA packing instructions (IATA): 203PCA max net quantity (IATA): 75kgCAO packing instructions (IATA): 10LPCA max net quantity (IATA): 10LPCA max net quantity (IATA): 10LInland waterway transport: 10LInland waterway transport: 10LInland waterway transport: 10LRaif ransport: 10LRaif ransport: 10LRue quantities (ADN): 10LExcepted quantities (ADN): 10LExcepted quantities (ADN): 10LRaif transport: 10LRaif tran		: CV9, CV12
Transport by seaSpecial provisions (IMDG):::63, 190, 277, 327, 344, 381, 959Limited quantities (IMDG)::SP277Excepted quantities (IMDG)::E0Packing instructions (IMDG):P207, LP200Special packing provisions (IMDG):PP87, L2Stowage category (IMDG):NoneStowage and handling (IMDG):SW1, SW22Segregation (IMDG)::SG69Air transportPCA Excepted quantities (IATA):203PCA limited quantities (IATA):203PCA limited quantities (IATA):203PCA max net quantity (IATA):203PCA max net quantity (IATA):150kgSpecial provisions (IATA):10LInland waterway transport:10LClassification code (ADN):1Excepted quantities (ADN):1Limited quantities (ADN):1Rait graupties (ADN):1Excepted quantities (ADN):1Rait ransport::Classification code (ADN)::Special provisions (ADN):1Excepted quantities (ADN):1Excepted quantities (ADN)::Special provisions (ADN)::Special provisions (ADN)::PO::Classification code (ADN)::Spec	Special provisions for carriage - Operation (ADR)	: S2
Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959 Limited quantities (IMDG) : SP277 Excepted quantities (IMDG) : P07, LP200 Special packing provisions (IMDG) : PP87, L2 Stowage category (IMDG) : None Stowage and handling (IMDG) : SW1, SW22 Segregation (IMDG) : SG69 Air transport PCA Excepted quantities (IATA) : Y203 PCA Limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 203 PCA apaking instructions (IATA) : 203 PCA max net quantity (IATA) : 150kg Special provisions (IATA) : 10L Inland waterway transport : 10L Classification code (ADN) : 5F Special provisions (ADN) : 10 Inland waterway transport : 10 Classification code (ADN) : 5F Special provisions (ADN) : 1 Excepted quantities (ADN)	Tunnel restriction code (ADR)	: D
Limited quantities (IMDG) : SP277 Excepted quantities (IMDG) : E0 Packing instructions (IMDG) : P207, LP200 Special packing provisions (IMDG) : PP87, L2 Stowage category (IMDG) : None Stowage and handling (IMDG) : SW1, SW22 Segregation (IMDG) : SG69 Air transport PCA Excepted quantities (IATA) : E0 PCA Limited quantities (IATA) : Y203 PCA limited quantities (IATA) : Y203 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 203 PCA max net quantity (IATA) : 203 PCA max net quantity (IATA) : 75kg CAO packing instructions (IATA) : 203 CAO max net quantity (IATA) : 150kg Special provisions (IATA) : 10L Inland waterway transport Classification code (ADN) : 5F Special provisions (ADN) : 10 Excepted quantities (ADN) : E0 Equipment required (ADN) : VE01, VE04 Number of blue cones/lights (ADN) : 1 Rail transport Classification code (RID) : 5F Special provisions (RID) : 10 Rail transport Classification code (RID) : 5F Special provisions (RID) : 10 Rail transport Classification code (RID) : 1 Rail transport Classification code (RID) : 10 Classification code (RID) : 10 Classif	Transport by sea	
Excepted quantities (IMDG): E0Packing instructions (IMDG): P207, LP200Special packing provisions (IMDG): PP87, L2Stowage category (IMDG): NoneStowage and handling (IMDG): SW1, SW22Segregation (IMDG): SG69Air transportPCA Excepted quantities (IATA)PCA Limited quantity max net quantity (IATA)PCA limited quantity max net quantity (IATA)PCA backing instructions (IATA)PCA acking instructi		
Packing instructions (IMDG):P207, LP200Special packing provisions (IMDG):PP87, L2Stowage category (IMDG):NoneStowage and handling (IMDG):SW1, SW22Segregation (IMDG):SG69Air transportPCA Excepted quantities (IATA):E0PCA Limited quantities (IATA):Y203PCA limited quantities (IATA):30kgGPCA packing instructions (IATA):203PCA max net quantity (IATA):203CAO packing instructions (IATA):203CAO packing instructions (IATA):150kgSpecial provisions (IATA):10LInland waterway transportClassification code (ADN):5FSpecial provisions (ADN):10Inited quantities (ADN):1Excepted quantities (ADN):1Excepted quantities (ADN):1Excepted quantities (ADN):1Immed quantities (ADN):1Excepted quantities (ADN):1Excepted quantities (ADN):1Excepted quantities (ADN):1Rail transport:1Classification code (RID):5FSpecial provisions (RID):1Imited quantities (RID):1Imited quantities (RID):1		: SP277
Special packing provisions (IMDG):PP87, L2Stowage category (IMDG):NoneStowage and handling (IMDG):SW1, SW22Segregation (IMDG):SG69Air transportPCA Excepted quantities (IATA):Y203PCA Limited quantities (IATA):Y203PCA limited quantities (IATA):203PCA limited quantity max net quantity (IATA):30kgGPCA packing instructions (IATA):203PCA max net quantity (IATA):75kgCAO packing instructions (IATA):203CAO max net quantity (IATA):150kgSpecial provisions (IATA):10LInland waterway transport:10LClassification code (ADN):5FSpecial provisions (ADN):1Excepted quantities (ADN):EOEquipment required (ADN):PP, EX, AVentilation (ADN):VE01, VE04Number of blue cones/lights (ADN):1Rail transport:1Classification code (RID):5FSpecial provisions (RID):1Diagent code (RID)::Special provisions (RID):1Itimited quantities (RID):1		: E0
Stowage category (IMDG): NoneStowage and handling (IMDG): SW1, SW22Segregation (IMDG): SG69Air transportPCA Excepted quantities (IATA): E0PCA Limited quantities (IATA): Y203PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 203PCA max net quantity (IATA): 203PCA max net quantity (IATA): 150kgSpecial provisions (IATA): 10kgSpecial provisions (IATA): 10kgInland waterway transport: 10LClassification code (ADN): 5FSpecial provisions (ADN): 10, 327, 344, 625Limited quantities (ADN): 1Excepted quantities (ADN): 1 <td>Packing instructions (IMDG)</td> <td>: P207, LP200</td>	Packing instructions (IMDG)	: P207, LP200
Stowage and handling (IMDG): SW1, SW22Segregation (IMDG): SG69Air transportPCA Excepted quantities (IATA): E0PCA Limited quantities (IATA): Y203PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 203PCA max net quantity (IATA): 75kgCAO packing instructions (IATA): 203CAO max net quantity (IATA): 150kgSpecial provisions (IATA): 10LInland waterway transportClassification code (ADN): 5FSpecial provisions (ADN): 10LExcepted quantities (ADN): 1 LExcepted quantities (ADN): 1 LExcepted quantities (ADN): 1 CRail transport: 1Classification code (RID): 5FSpecial provisions (ADN): 1 CRail transport: 1Classification (ADN): 1Imited quantities (ADN): 1Special provisions (ADN): 1Special provisions (ADN): 1Equipment required (ADN): 1Equipment required (ADN): 1Rail transport: 1Classification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (RID): 190, 327, 344, 625		: PP87, L2
Segregation (IMDG):SG69Air transport:PCA Excepted quantities (IATA):E0PCA Limited quantities (IATA):Y203PCA limited quantity max net quantity (IATA):30kgGPCA packing instructions (IATA):203PCA max net quantity (IATA):203PCA max net quantity (IATA):203PCA max net quantity (IATA):203CAO packing instructions (IATA):203CAO max net quantity (IATA):150kgSpecial provisions (IATA):10LInland waterway transport:Classification code (ADN):5FSpecial provisions (ADN):10LInited quantities (ADN):1Excepted quantities (ADN):1Equipment required (ADN):PP, EX, AVentilation (ADN):VE01, VE04Number of blue cones/lights (ADN):1Rail transport:1Classification code (RID):5FSpecial provisions (RID):1Induction (ADN):1Induction (ADN)::Special provisions (RID)::Special provisions (RID)::Special provisions (RID)::Imited quantities (RID)::Special provisions (RID)::Special provisions (RID)::Special provisions (RID)::S	Stowage category (IMDG)	: None
Air transport PCA Excepted quantities (IATA) : E0 PCA Limited quantities (IATA) : Y203 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 203 PCA max net quantity (IATA) : 75kg CAO packing instructions (IATA) : 203 PCA max net quantity (IATA) : 75kg CAO packing instructions (IATA) : 203 CAO max net quantity (IATA) : 150kg Special provisions (IATA) : 150kg Special provisions (IATA) : 10L Inland waterway transport : Classification code (ADN) : 5F Special provisions (ADN) : 10L Inland waterway transport : Classification code (ADN) : 5F Special provisions (ADN) : 10L Excepted quantities (ADN) : 11 Excepted quantities (ADN) : PP, EX, A Ventilation (ADN) : VE01, VE04 Number of blue cones/lights (ADN) : 1 Rail transport : 190, 327, 344, 625 Classification code (RID) : 5F Special provisions (RID) : 1	Stowage and handling (IMDG)	: SW1, SW22
PCA Excepted quantities (IATA): E0PCA Limited quantities (IATA): Y203PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 203PCA max net quantity (IATA): 75kgCAO packing instructions (IATA): 203CAO max net quantity (IATA): 150kgSpecial provisions (IATA): 150kgSpecial provisions (IATA): 10LInland waterway transportClassification code (ADN): 5FSpecial provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): E0Equipment required (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transport: 1Classification code (RID): 5FSpecial provisions (ADN): 1Excepted quantities (ADN): 1Excepted quantities (ADN): 1Excepted quantities (ADN): 1Excepted quantities (ADN): 1Excepted fully: 1Excepted quantities (ADN): 1Excepted quantities (ADN)	Segregation (IMDG)	: SG69
PCA Limited quantities (IATA): Y203PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 203PCA max net quantity (IATA): 75kgCAO packing instructions (IATA): 203CAO max net quantity (IATA): 150kgSpecial provisions (IATA): 150kgSpecial provisions (IATA): 10LInland waterway transportClassification code (ADN): 5FSpecial provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): EOEquipment required (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): 5FSpecial provisions (ADN): 10LExcepted quantities (ADN): 1Excepted quantities (ADN): 1Equipment required (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transport: 190, 327, 344, 625Limited quantities (RID): 190, 327, 344, 625	Air transport	
PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 203PCA max net quantity (IATA): 75kgCAO packing instructions (IATA): 203CAO max net quantity (IATA): 150kgSpecial provisions (IATA): 150kgSpecial provisions (IATA): 10LInland waterway transportClassification code (ADN): 5FSpecial provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): EOEquipment required (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (RID): 11	PCA Excepted quantities (IATA)	
PCA packing instructions (IATA): 203PCA max net quantity (IATA): 75kgCAO packing instructions (IATA): 203CAO max net quantity (IATA): 150kgSpecial provisions (IATA): 150kgSpecial provisions (IATA): 10LInland waterway transportClassification code (ADN)Special provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): E0Equipment required (ADN): PP, EX, AVentilation (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625		: Y203
PCA max net quantity (IATA): 75kgCAO packing instructions (IATA): 203CAO max net quantity (IATA): 150kgSpecial provisions (IATA): A145, A167, A802ERG code (IATA): 10LInland waterway transportClassification code (ADN): 5FSpecial provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): 1 LExcepted quantities (ADN): E0Equipment required (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625	PCA limited quantity max net quantity (IATA)	: 30kgG
CAO packing instructions (IATA): 203CAO max net quantity (IATA): 150kgSpecial provisions (IATA): A145, A167, A802ERG code (IATA): 10LInland waterway transportClassification code (ADN): 5FSpecial provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): 1 LExcepted quantities (ADN): E0Equipment required (ADN): VE01, VE04Ventilation (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transport: 5FSpecial provisions (RID): 5FSpecial provisions (RID): 190, 327, 344, 625	PCA packing instructions (IATA)	: 203
CAO max net quantity (IATA): 150kgSpecial provisions (IATA): A145, A167, A802ERG code (IATA): 10LInland waterway transportClassification code (ADN): 5FSpecial provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): 1 LExcepted quantities (ADN): E0Equipment required (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (ADN): VE01, VE04Limited for the cones/lights (ADN): 1Excepted quantities (ADN): 1	PCA max net quantity (IATA)	: 75kg
Special provisions (IATA):A145, A167, A802ERG code (IATA):10LInland waterway transport:Classification code (ADN):5FSpecial provisions (ADN):190, 327, 344, 625Limited quantities (ADN):1 LExcepted quantities (ADN):E0Equipment required (ADN):PP, EX, AVentilation (ADN):VE01, VE04Number of blue cones/lights (ADN):1Rail transportClassification code (RID):Special provisions (RID):190, 327, 344, 625Limited quantities (RID):190, 327, 344, 625	CAO packing instructions (IATA)	: 203
ERG code (IATA): 10LInland waterway transport:Classification code (ADN): 5FSpecial provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): 1 LExcepted quantities (ADN): E0Equipment required (ADN): PP, EX, AVentilation (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (RID): 11	CAO max net quantity (IATA)	: 150kg
Inland waterway transportClassification code (ADN): 5FSpecial provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): 1 LExcepted quantities (ADN): E0Equipment required (ADN): PP, EX, AVentilation (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (RID): 11L	Special provisions (IATA)	: A145, A167, A802
Classification code (ADN): 5FSpecial provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): 1 LExcepted quantities (ADN): E0Equipment required (ADN): PP, EX, AVentilation (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (RID): 1L	ERG code (IATA)	: 10L
Special provisions (ADN): 190, 327, 344, 625Limited quantities (ADN): 1 LExcepted quantities (ADN): E0Equipment required (ADN): PP, EX, AVentilation (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (RID): 1L	Inland waterway transport	
Limited quantities (ADN): 1 LExcepted quantities (ADN): E0Equipment required (ADN): PP, EX, AVentilation (ADN): VE01, VE04Number of blue cones/lights (ADN): 1Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (RID): 1L	Classification code (ADN)	
Excepted quantities (ADN) : E0 Equipment required (ADN) : PP, EX, A Ventilation (ADN) : VE01, VE04 Number of blue cones/lights (ADN) : 1 Rail transport Classification code (RID) : 5F Special provisions (RID) : 190, 327, 344, 625 Limited quantities (RID) : 1L	Special provisions (ADN)	: 190, 327, 344, 625
Equipment required (ADN):PP, EX, AVentilation (ADN):VE01, VE04Number of blue cones/lights (ADN):1Rail transportClassification code (RID):5FSpecial provisions (RID):190, 327, 344, 625Limited quantities (RID):1L	Limited quantities (ADN)	: 1L
Ventilation (ADN) : VE01, VE04 Number of blue cones/lights (ADN) : 1 Rail transport Classification code (RID) : 5F Special provisions (RID) : 190, 327, 344, 625 Limited quantities (RID) : 1L	Excepted quantities (ADN)	: E0
Number of blue cones/lights (ADN) : 1 Rail transport	Equipment required (ADN)	: PP, EX, A
Rail transportClassification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (RID): 1L	Ventilation (ADN)	: VE01, VE04
Classification code (RID): 5FSpecial provisions (RID): 190, 327, 344, 625Limited quantities (RID): 1L	Number of blue cones/lights (ADN)	: 1
Special provisions (RID): 190, 327, 344, 625Limited quantities (RID): 1L	Rail transport	
Limited quantities (RID) : 1L	Classification code (RID)	: 5F
	Special provisions (RID)	: 190, 327, 344, 625
Excepted quantities (RID) : E0	Limited quantities (RID)	: 1L
	Excepted quantities (RID)	: E0

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing instructions (RID) Special packing provisions (RID)		P207, LP200 PP87, RR6, L2
Mixed packing provisions (RID)		MP9
Transport category (RID)	:	2
Special provisions for carriage – Packages (RID)	:	W14
Special provisions for carriage - Loading, unloading	:	CW9, CW12
and handling (RID)		
Colis express (express parcels) (RID)	:	CE2
Hazard identification number (RID)	:	23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content

: 665 g/l

Detergent Regulation (648/2004)

Labelling of contents		
Component	%	
aliphatic hydrocarbons	≥30%	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements:		
Aerosol 1	Aerosol, Category 1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.