

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 17/02/2025 Revision date: 10/02/2025 Supersedes version of: 30/08/2024 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name
UFI
Product code
Vaporizer

: Food Grease

- : 8RSX-N884-900P-2S6H
 - : BDS000684AE
 - : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category Use of the substance/mixture : Professional use : lubricants

1.3. Details of the supplier of the safety data sheet

Supplier CRC Industries Europe B.V. Touwslagerstraat 1 9240 Zele Belgium T +32(0)52/45.60.11, F +32(0)52/45.00.34 hse@crcind.com, www.crcind.com

1.4. Emergency telephone number

Emergency number

: +32(0)52/45.60.11 Office hours: 9-17h CET

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard,	H412
Category 3	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]		
Hazard pictograms (CLP)		
	GHS02 GHS07	
Signal word (CLP)	: Danger	
Contains	: Hydrocarbons, C6, isoalkanes, <5% n-hexane;cyclopentane	
Hazard statements (CLP)	H222 - Extremely flammable aerosol.	
	H229 - Pressurised container: May burst if heated.	
	H315 - Causes skin irritation.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	H336 - May cause drowsiness or dizziness.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P261 - Avoid breathing vapours/spray.
	P271 - Use only outdoors or in a well-ventilated area.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
	P501 - Dispose of contents/container to a hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains PBT substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	O,O,O-triphenyl phosphorothioate (597-82-0)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	O,O,O-triphenyl phosphorothioate (597-82-0)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
butane (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691- 32	25 – 50	Flam. Gas 1, H220 Press. Gas (Liq.), H280
propane (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE)	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	10 – 25	Flam. Gas 1, H220 Press. Gas (Liq.), H280
isobutane (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE)	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0 REACH-no: 01-2119485395- 27	10 – 25	Flam. Gas 1, H220 Press. Gas (Liq.), H280
Hydrocarbons, C6, isoalkanes, <5% n-hexane	EC-No.: 931-254-9 REACH-no: 01-2119484651- 34	5 – 10	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
cyclopentane substance with national workplace exposure limit(s) (BE)	CAS-No.: 287-92-3 EC-No.: 206-016-6 EC Index-No.: 601-030-00-2 REACH-no: 01-2119463053- 47	5 – 10	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 3, H412 EUH066
O,O,O-triphenyl phosphorothioate substance listed on REACH Candidate List PBT substance	CAS-No.: 597-82-0 EC-No.: 209-909-9 REACH-no: 01-2119979545- 21	0,1 – 1	Aquatic Chronic 1, H410

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Call a physician immediately.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop, get medical attention.	
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. Seek medical attention if irritation develops.	
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Seek medical attention if irritation develops.	
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects	: May cause drowsiness or dizziness.	
Symptoms/effects after skin contact	: Irritation. Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after ingestion	: Risk of lung oedema.	
4.3. Indication of any immediate medical attention and special treatment needed		

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Pressurised container: May burst if heated. During fire, gases hazardous to health may be formed. 	
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting	 Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	
Protective equipment	: Wear appropriate protective equipment and clothing during clean-up.
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Ventilate area.
6.2. Environmental precautions	

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Mechanically recover the product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to remove residual contamination.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industrial hygiene and safety procedures.	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.	

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
National occupational exposure and biological limit values		
cyclopentane (287-92-3) Belgium - Occupational Exposure Limits		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

cyclopentane (287-92-3)				
OEL TWA	1800 mg/m³			
	600 ppm			
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023			
propane (74-98-6)				
Belgium - Occupational Exposure Limits				
Local name	Hydrocarbures aliphatiques sous forme gazeuse: (Alcanes C1-C3) # Alifatische koolwaterstoffen in gas-vorm: Alkanen (C1-C3)			
OEL TWA	1000 ppm			
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023			
isobutane (75-28-5)				
Belgium - Occupational Exposure Limits				
Local name	Butane, tous isomères: iso-butane # Butaan, alle isomeren: iso-butaan			
OEL STEL	2370 mg/m³			
	980 ppm			
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023			
butane (106-97-8)				
Belgium - Occupational Exposure Limits				
Local name Butane, tous isomères: n-butane # Butaan, alle isomeren: n-butaan				
OEL STEL	2370 mg/m³			
	980 ppm			
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023			
DNEL and PNEC				
Hydrocarbons, C6, isoalkanes, <5% n-hexan	e			
DNEL/DMEL (Workers)				
Long-term - systemic effects, dermal	13964 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	5306 mg/m³			
DNEL/DMEL (General population)				
Long-term - systemic effects,oral	1301 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	1131 mg/m ³			
Long-term - systemic effects, dermal 1377 mg/kg bodyweight/day				

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal

DNEL/DMEL (General population)

Long-term - systemic effects,oral

Long-term - systemic effects, inhalation

Long-term - systemic effects, inhalation

Long-term - systemic effects, dermal

432 mg/kg bodyweight/day

214 mg/kg bodyweight/day

214 mg/kg bodyweight/day

3000 mg/m³

643 mg/m³

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

O,O,O-triphenyl phosphorothioate (597-82-0)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	0,4 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1,39 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0,2 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0,34 mg/m³	
Long-term - systemic effects, dermal	0,2 mg/kg bodyweight/day	
PNEC (Soil)		
PNEC soil	2,46 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	10 mg/l	
8.2 Exposure controls		

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protection equipment

Personal protective equipment symbol(s):



Eye and face protection

Eye protection: Use eye protection according to EN 166. Safety glasses with side shields.

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended.

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: AX

Thermal hazards

Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	• •
Physical state	: Liquid
Colour	: White.
Appearance	: Propane/butane propelled liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Extremely flammable aerosol.
Explosive properties	: Pressurised container: May burst if heated.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: -20 °C (closed cup)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not applicable
Viscosity, kinematic	: < 20,5 mm²/s at 40 °C
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not applicable
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0,786 g/cm³ at 20 °C
Relative density	: 0,786 at 20 °C
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

Information with regard to physical hazard classes% of flammable ingredients: 75 - 100 %

Other safety characteristics

VOC content	
Additional information	

: 495 g/l : For aerosols data for the product without propellant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2).

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological informati	on
11.1. Information on hazard classes as d	efined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)
cyclopentane (287-92-3)	
LD50 oral rat	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 25,3 mg/l/4h
LC50 Inhalation - Rat (Vapours)	> 25,3 mg/l
O,O,O-triphenyl phosphorothioate (597-6	82-0)
LD50 oral rat	> 10000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	 pH: Not applicable Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity Carcinogenicity	 Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
O,O,O-triphenyl phosphorothioate (597-	82-0)
NOAEL (animal/male, F0/P)	300 mg/kg bodyweight
NOAEL (animal/female, F0/P)	1000 mg/kg bodyweight
NOAEL (animal/male, F1)	300 mg/kg bodyweight
NOAEL (animal/female, F1)	1000 mg/kg bodyweight
STOT-single exposure	: May cause drowsiness or dizziness.
Hydrocarbons, C6, isoalkanes, <5% n-he	exane
STOT-single exposure	May cause drowsiness or dizziness.
cyclopentane (287-92-3)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
cyclopentane (287-92-3)	
NOAEC (inhalation, rat, vapour, 90 days)	30 mg/l air
Aspiration hazard	: May be fatal if swallowed and enters airways.
Food Grease	
Vaporizer	Aerosol
Viscosity, kinematic	< 20,5 mm²/s at 40 °C
Hydrocarbons, C6, isoalkanes, <5% n-he	exane
Viscosity, kinematic	0,46 mm²/s
cyclopentane (287-92-3)	
Viscosity, kinematic	0,627 mm²/s
<i>,</i>	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 12: Ecological information

12.1. Toxicity		
Ecology - general Hazardous to the aquatic environment, short–term (acute) Hazardous to the aquatic environment, long–term	 Harmful to aquatic life with long lasting effects. Not classified (Based on available data, the classification criteria are not met) Harmful to aquatic life with long lasting effects. 	
(chronic)		
cyclopentane (287-92-3)		
LC50 - Fish [1]	29,3 mg/l	
EC50 - Crustacea [1]	51,1 mg/l Daphnia magna (Water flea)	
EC50 72h - Algae [1]	21,6 mg/l	
O,O,O-triphenyl phosphorothioate (597-82-0)		
EC50 - Crustacea [1]	> 100 mg/l Daphnia magna	
12.2. Persistence and degradability		
Food Grease		
Persistence and degradability	Not established. No data is available on the degradability of this product.	
12.3. Bioaccumulative potential		
Food Grease		
Partition coefficient n-octanol/water (Log Kow)	Not applicable	
cyclopentane (287-92-3)		
Partition coefficient n-octanol/water (Log Pow)	3	
12.4. Mobility in soil		
No additional information available		

No additional information available

12.5. Results of PBT and vPvB assessment Food Grease		
Component		
Substance(s) meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	O,O,O-triphenyl phosphorothioate (597-82-0)	
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	O,O,O-triphenyl phosphorothioate (597-82-0)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties	
Adverse effects on the environment caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.
12.7. Other adverse effects	
Food Grease	

	Food Glease	
Other information		No other effects known
	Global warming potential (GWP)	2.37 (Fluorinated greenhouse gases - (EC) No 2024/573)

SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste treatment methods European List of Waste (LoW, EC 2000/532)	 Dispose of contents/container in accordance with licensed collector's sorting instructions. According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	iption			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.
14.3. Transport hazard o	lass(es)			
2.1	2.1	2.1	2.1	2.1
				*
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-D EmS-No. (Spillage): S-U	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

10/02/2025 (Revision date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Overland transport		
Classification code (ADR)	: 5F	
Special provisions (ADR)	: 190, 327, 344, 625	
Limited quantities (ADR)	: 11	
Excepted quantities (ADR)	: E0	
Packing instructions (ADR)	: P207, LP200	
Special packing provisions (ADR)	: PP87, RR6, L2	
Mixed packing provisions (ADR)	: MP9	
Transport category (ADR)	: 2	
Special provisions for carriage - Packages (ADR)	: V14	
Special provisions for carriage - Loading, unloading	: CV9, CV12	
and handling (ADR)	00	
Special provisions for carriage - Operation (ADR)	: \$2	
Tunnel restriction code (ADR)	: D	
Transport by sea		
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959	
Limited quantities (IMDG)	: SP277	
Excepted quantities (IMDG)	: E0	
Packing instructions (IMDG)	: P207, LP200	
Special packing provisions (IMDG)	: PP87, L2	
Stowage category (IMDG)	: None	
Stowage and handling (IMDG)	: SW1, SW22	
Segregation (IMDG)	SG69	
Air transport		
PCA Excepted quantities (IATA)	: E0	
PCA Limited quantities (IATA)	: Y203	
PCA limited quantity max net quantity (IATA)	: 30kgG	
PCA packing instructions (IATA)	: 203	
PCA max net quantity (IATA)	: 75kg	
CAO packing instructions (IATA)	: 203	
CAO max net quantity (IATA)	: 150kg	
Special provisions (IATA)	: A145, A167, A802	
ERG code (IATA)	: 10L	
Inland waterway transport		
Classification code (ADN)	: 5F	
Special provisions (ADN)	: 190, 327, 344, 625	
Limited quantities (ADN)	: 1L	
Excepted quantities (ADN)	: E0	
Equipment required (ADN)	: PP, EX, A	
Ventilation (ADN)	: VE01, VE04	
Number of blue cones/lights (ADN)	: 1	
Rail transport		
Classification code (RID)	: 5F	
Special provisions (RID)	: 190, 327, 344, 625	
Limited quantities (RID)	: 1L	
Excepted quantities (RID)	: E0	
Packing instructions (RID)	: P207, LP200	
Special packing provisions (RID)	: PP87, RR6, L2	
Mixed packing provisions (RID)	: MP9	
Transport category (RID)	: 2	
Special provisions for carriage – Packages (RID)	: W14	
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12	
Colis express (express parcels) (RID)	: CE2	
Hazard identification number (RID)	: 23	
	. 20	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations \geq 0.1 % or SCL: 0,0,0-triphenyl phosphorothioate (EC 209-909-9, CAS 597-82-0)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content

: 495 g/l

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADNEuropean Agreement concerning the International Carriage of DataADREuropean Agreement concerning the International Carriage of DataATEAcute Toxicity Estimate	c , , ,
	angerous Goods by Road
ATE Acute Toxicity Estimate	
BCF Bioconcentration factor	
BLV Biological limit value	
BOD Biochemical oxygen demand (BOD)	
COD Chemical oxygen demand (COD)	
DMEL Derived Minimal Effect level	
DNEL Derived-No Effect Level	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements: Aerosol 1 Aerosol, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Flam. Gas 1 Flammable gases, Category 1 Flam. Liq. 2 Flammable liquids, Category 2 Press. Gas (Liq.) Gases under pressure : Liquefied gas Skin Irrit. 2 Skin corrosion/irritation, Category 2 STOT SE 3 Specific target organ toxicity - Single exposure, Category 3, Narcosis H220 Extremely flammable gas.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H336	May cause drowsiness or dizziness.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH066	Repeated exposure may cause skin dryness or cracking.	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.