

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 17/02/2025 Revision date: 27/08/2024 Supersedes version of: 08/03/2024 Version: 2.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

# Product name

Product code

- : Super Tapping Fluid
- : PF4Y-W8HR-K00J-RF1K
- : BDS002173BU

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### **Relevant identified uses**

Main use category Use of the substance/mixture

: Professional use : lubricants

## 1.3. Details of the supplier of the safety data sheet

### Supplier

CRC Industries Europe B.V. Touwslagerstraat 1 9240 Zele Belgium T +32(0)52/45.60.11, F +32(0)52/45.00.34 hse@crcind.com, www.crcind.com

### 1.4. Emergency telephone number

Emergency number

: +32(0)52/45.60.11 Office hours: 9-17h CET

## **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin sensitisation, Category 1 H317 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects May cause an allergic skin reaction. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 Signal word (CLP) : Warning Contains : Polysulfides, di-tert-dodecyl;Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts;Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyland 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-Benzotriazole-2methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-

Hazard statements (CLP) Precautionary statements (CLP)

: P261 - Avoid breathing vapours/spray. P280 - Wear protective gloves/eye protection.

: H317 - May cause an allergic skin reaction.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

benzotriazole-1-methylamine

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P501 - Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (Note L)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077- 29	1 – 5	Asp. Tox. 1, H304
Polysulfides, di-tert-dodecyl	CAS-No.: 68425-15-0 EC-No.: 270-335-7 REACH-no: 01-2119540516- 41	1 – 5	Skin Sens. 1, H317
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	CAS-No.: 70024-69-0 EC-No.: 274-263-7 REACH-no: 01-2119492616- 28	< 1	Skin Sens. 1, H317
Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole- 2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1- methylamine and 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2- ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine	EC-No.: 939-700-4 REACH-no: 01-2119982395- 25	< 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop get medical attention.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Seek medical attention if irritation develops.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Seek medical attention if irritation develops.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact

: May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Firefighting instructions	: Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
For non-emergency personnel	
Protective equipment	: Wear appropriate protective equipment and clothing during clean-up.
Emergency procedures	<ul> <li>Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.</li> </ul>
For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containme	ent and cleaning up
Methods for cleaning up	: For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to remove residual contamination.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industrial hygiene and safety procedures.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	ny incompatibilities

: Store in a well-ventilated place. Keep cool. Keep container closed when not in use.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## **DNEL and PNEC**

Distillates (petroleum), hydrotreated light para	affinic; Baseoil— unspecified (64742-55-8)
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	0,97 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2,73 mg/m³
Long-term - local effects, inhalation	5,58 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0,74 mg/kg bodyweight/day
PNEC (Oral)	
PNEC oral (secondary poisoning)	9,33 mg/kg food
Polysulfides, di-tert-dodecyl (68425-15-0)	
PNEC (Sediment)	
PNEC sediment (freshwater)	3,85 mg/kg dwt
PNEC sediment (marine water)	0,385 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	66,7 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	1 g/l
Benzenesulfonic acid, mono-C16-24-alkyl der	ivs., calcium salts (70024-69-0)
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	3,33 mg/kg bodyweight/day
Long-term - local effects, dermal	1,03 mg/cm <sup>2</sup>
Long-term - systemic effects, inhalation	11,75 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0,8333 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2,9 mg/m³
Long-term - systemic effects, dermal	1,667 mg/kg bodyweight/day
Long-term - local effects, dermal	0,513 mg/cm <sup>2</sup>
PNEC (Water)	
PNEC aqua (freshwater)	1 mg/l

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Long-term - systemic effects, dermal Long-term - systemic effects, inhalation <b>DNEL/DMEL (General population)</b> Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal <b>PNEC (Water)</b> PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) <b>PNEC (STP)</b> PNEC sewage treatment plant	0,4 mg/kg bodyweight/day 1,3 mg/m³ 0,2 mg/kg bodyweight/day 0,3 mg/m³ 0,2 mg/kg bodyweight/day 0,000976 mg/l 0,000976 mg/l 0,00976 mg/l 0,00976 mg/l
Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (STP)	1,3 mg/m <sup>3</sup> 0,2 mg/kg bodyweight/day 0,3 mg/m <sup>3</sup> 0,2 mg/kg bodyweight/day 0,000976 mg/l 0,000976 mg/l 0,00976 mg/l
Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater)	1,3 mg/m <sup>3</sup> 0,2 mg/kg bodyweight/day 0,3 mg/m <sup>3</sup> 0,2 mg/kg bodyweight/day 0,000976 mg/l 0,000976 mg/l
Long-term - systemic effects, inhalation <b>DNEL/DMEL (General population)</b> Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal <b>PNEC (Water)</b> PNEC aqua (freshwater)	1,3 mg/m <sup>3</sup> 0,2 mg/kg bodyweight/day 0,3 mg/m <sup>3</sup> 0,2 mg/kg bodyweight/day 0,000976 mg/l
Long-term - systemic effects, inhalation <b>DNEL/DMEL (General population)</b> Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal <b>PNEC (Water)</b> PNEC aqua (freshwater)	1,3 mg/m <sup>3</sup> 0,2 mg/kg bodyweight/day 0,3 mg/m <sup>3</sup> 0,2 mg/kg bodyweight/day
Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal	1,3 mg/m <sup>3</sup> 0,2 mg/kg bodyweight/day 0,3 mg/m <sup>3</sup>
Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, inhalation	1,3 mg/m <sup>3</sup> 0,2 mg/kg bodyweight/day 0,3 mg/m <sup>3</sup>
Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects,oral	1,3 mg/m <sup>3</sup> 0,2 mg/kg bodyweight/day
Long-term - systemic effects, inhalation DNEL/DMEL (General population)	1,3 mg/m <sup>3</sup>
Long-term - systemic effects, inhalation	
Long-term - systemic effects, dermal	0,4 mg/kg bodyweight/day
DNEL/DMEL (Workers)	
methanamine, N,N-bis(2-ethylhexyl)-5-methyl-	amine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and thylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-
PNEC sewage treatment plant	1000 mg/l
PNEC (STP)	
PNEC oral (secondary poisoning)	16,667 mg/kg food
PNEC (Oral)	
PNEC soil	27100000 mg/kg dwt
PNEC (Soil)	
PNEC sediment (marine water)	22600000 mg/kg dwt
PNEC sediment (freshwater)	226000000 mg/kg dwt
PNEC (Sediment)	10 mg/l
PNEC aqua (intermittent, freshwater) PNEC (Sediment)	
	1 mg/l

### Appropriate engineering controls

### Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Personal protection equipment

Personal protective equipment symbol(s):



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Eye and face protection

### Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

#### Skin protection

### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. . Neoprene or nitrile rubber gloves

#### **Respiratory protection**

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: A

#### **Thermal hazards**

### Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

#### **Environmental exposure controls**

#### Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Green.
Appearance	: Viscous liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 150 °C
Auto-ignition temperature	: > 200 °C
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 30,15 mm²/s at 40 °C
Viscosity, dynamic	: 25,84 mPa·s at 40 °C
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not applicable
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0,857 g/cm³ at 20 °C
Relative density	: 0,86 at 20 °C
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

### Other safety characteristics

#### VOC content

: 0 g/l

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Avoid temperatures exceeding the flash point.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2).

11.1. Information on hazard classes	as defined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified (Based on available data, the classification criteria are not met)</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> </ul>
Distillates (petroleum), hydrotreated	l light paraffinic; Baseoil— unspecified (64742-55-8)
LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg
Benzenesulfonic acid, mono-C16-24	-alkyl derivs., calcium salts (70024-69-0)
LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg bodyweight
LC50 Inhalation - Rat	> 1,9 mg/l/4h
	-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and ,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-
LD50 oral rat	3313 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight
	<ul> <li>&gt; 2000 mg/kg bodyweight</li> <li>: Not classified (Based on available data, the classification criteria are not met)</li> </ul>
Skin corrosion/irritation	
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation Benzenesulfonic acid, mono-C16-24 pH	: Not classified (Based on available data, the classification criteria are not met) -alkyl derivs., calcium salts (70024-69-0)
Skin corrosion/irritation Benzenesulfonic acid, mono-C16-24 pH Serious eye damage/irritation	Not classified (Based on available data, the classification criteria are not met) -alkyl derivs., calcium salts (70024-69-0) 8,1
Skin corrosion/irritation Benzenesulfonic acid, mono-C16-24 pH Serious eye damage/irritation	Not classified (Based on available data, the classification criteria are not met)      A-alkyl derivs., calcium salts (70024-69-0)      8,1      Not classified (Based on available data, the classification criteria are not met)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Distillates (petroleum), hydrotreated ligh	t paraffinic; Baseoil— unspecified (64742-55-8)
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0,98 mg/l air
Benzenesulfonic acid, mono-C16-24-alky	المerivs., calcium salts (70024-69-0)
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight OECD Guideline 407
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight OECD Guideline 410
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Super Tapping Fluid	
Viscosity, kinematic	30,15 mm²/s at 40 °C
Reaction mass of 1H-Benzotriazole-1-me methanamine, N,N-bis(2-ethylhexyl)-5-me	ethanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2- ethyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and
Reaction mass of 1H-Benzotriazole-1-me methanamine, N,N-bis(2-ethylhexyl)-5-me 2H-Benzotriazole-2-methanamine, N,N-bi methylamine	ethanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2- ethyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and
Reaction mass of 1H-Benzotriazole-1-me methanamine, N,N-bis(2-ethylhexyl)-5-me 2H-Benzotriazole-2-methanamine, N,N-bi methylamine Viscosity, kinematic	ethanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2- ethyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and is(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-
Reaction mass of 1H-Benzotriazole-1-me methanamine, N,N-bis(2-ethylhexyl)-5-me 2H-Benzotriazole-2-methanamine, N,N-bi	ethanamine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2- ethyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and is(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1

<b>SECTION 12: Ecological information</b>

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Hazardous to the aquatic environment, short–term (acute)	: Not classified (Based on available data, the classification criteria are not met)	
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)	
Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (64742-55-8)		
LC50 - Fish [1]	> 5000 mg/l	
EC50 - Crustacea [1]	> 1000 mg/l	
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)		
LC50 - Fish [1]	> 1000 mg/l Cyprinodon variegatus	
EC50 - Crustacea [1]	> 1000 mg/l Daphnia magna	
EC50 72h - Algae [1]	> 1000 mg/l Pseudokirchneriella subcapitata	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

methanamine, N,N-bis(2-ethylhexyl)-5-methyl	amine, N,N-bis(2-ethylhexyl)-6-methyl- and 2H-Benzotriazole-2- - and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-
LC50 - Fish [1]	1,3 mg/l Danio rerio
EC50 - Crustacea [1]	2,05 mg/l
EC50 72h - Algae [1]	0,976 mg/l Desmodesmus subspicatus
EC50 72h - Algae [2]	0,762 mg/l Desmodesmus subspicatus
12.2. Persistence and degradability	
Super Tapping Fluid	
Persistence and degradability	Not established. No data is available on the degradability of this product.
12.3. Bioaccumulative potential	
Super Tapping Fluid	
Partition coefficient n-octanol/water (Log Kow)	Not applicable
Distillates (petroleum), hydrotreated light par	affinic; Baseoil— unspecified (64742-55-8)
Partition coefficient n-octanol/water (Log Pow)	3,9 - 6
Polysulfides, di-tert-dodecyl (68425-15-0)	
Partition coefficient n-octanol/water (Log Pow)	12,46
Benzenesulfonic acid, mono-C16-24-alkyl der	ivs., calcium salts (70024-69-0)
Partition coefficient n-octanol/water (Log Pow)	> 5,47
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
Super Tapping Fluid	
Results of PBT assessment	Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII
12.6. Endocrine disrupting properties	
Adverse effects on the environment caused by : endocrine disrupting properties	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.
12.7. Other adverse effects	
Super Tapping Fluid	
Other information	No other effects known

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

European List of Waste (LoW, EC 2000/532)

: According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: Transport information

n accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
Not regulated for transport				
14.2. UN proper shipping	g name			
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.4. Packing group	14.4. Packing group			
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.5. Environmental hazards				
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
No supplementary information available				

### 14.6. Special precautions for user

### **Overland transport**

Not regulated.

### Transport by sea

Not regulated.

#### Air transport Not regulated.

Inland waterway transport Not regulated.

## Rail transport

Not regulated.

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU-Regulations

## **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### VOC Directive (2004/42)

VOC content

: 0 g/l

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations a	ind acronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

## Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.