

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 17/02/2025 Revision date: 31/01/2025 Supersedes version of: 02/09/2024 Version: 3.3

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name : Industrial ECO Degreaser UFI : 661X-Y84C-D003-T7HU

Product code : BDS002618BU
Type of product : Detergent

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Cleaners - Heavy duty

#### 1.3. Details of the supplier of the safety data sheet

#### Supplier

CRC Industries Europe B.V. Touwslagerstraat 1 9240 Zele

Belgium

T +32(0)52/45.60.11, F +32(0)52/45.00.34

hse@crcind.com, www.crcind.com

## 1.4. Emergency telephone number

Emergency number : +32(0)52/45.60.11

Office hours: 9-17h CET

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, H336
Narcosis

Aspiration hazard, Category 1 H304 Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

May cause drowsiness or dizziness. Causes serious eye irritation. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

Hazard statements (CLP)

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS02

GHS07

GHS08

Signal word (CLP) : Dar

Contains : propan-2-ol; isopropyl alcohol; isopropanol;1-methoxy-2-propanol; monopropylene glycol methyl ether;Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

: H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing vapours/spray.

P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/eye protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331 - Do NOT induce vomiting.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P501 - Dispose of contents/container to a hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

| Name  | Product identifier   | %       | Classification according to<br>Regulation (EC) No. 1272/2008<br>[CLP]                           |
|---|--|---------|---|
| propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (BE)  | CAS-No.: 67-63-0<br>EC-No.: 200-661-7<br>EC Index-No.: 603-117-00-0<br>REACH-no: 01-2119457558-<br>25  | 25 – 50 | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336                                     |
| 1-methoxy-2-propanol; monopropylene glycol methyl ether substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit | CAS-No.: 107-98-2<br>EC-No.: 203-539-1<br>EC Index-No.: 603-064-00-3<br>REACH-no: 01-2119457435-<br>35 | 25 – 50 | Flam. Liq. 3, H226<br>STOT SE 3, H336   |
| Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics  | EC-No.: 927-241-2<br>REACH-no: 01-2119471843-<br>32  | 25 – 50 | Flam. Liq. 3, H226<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 3, H412<br>EUH066 |

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop,

get medical attention.

First-aid measures after skin contact : Wash skin with plenty of water. Seek medical attention if irritation develops.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Seek medical

attention if irritation develops.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately. Rinse mouth. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : Risk of lung oedema.

### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed.

#### 5.3. Advice for firefighters

Firefighting instructions : Move containers from fire area if it can be done without personal risk. Use standard

firefighting procedures and consider the hazards of other involved materials.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Protective equipment : Wear appropriate protective equipment and clothing during clean-up.

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact

with skin and eyes.

#### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Ventilate area.

## 6.2. Environmental precautions

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : For large spills, confine the spill in a dike and charge it with wet sand or earth for

subsequent safe disposal. Following product recovery, flush area with water. Take up small

spills with dry chemical absorbent. Clean surface thoroughly to remove residual

contamination.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For disposal of contaminated materials refer to section 13: "Disposal considerations".

31/01/2025 (Revision date) BE - en 3/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industrial

hygiene and safety procedures.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a

well-ventilated place. Keep cool. Keep container closed when not in use.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

| Belgium - Occupational Exposure Limits             |   |  |
|--|---|--|
| Local name   | Alcool isopropylique # Isopropylalcohol     |  |
| OEL TWA  | 500 mg/m³                                   |  |
|  | 200 ppm                                     |  |
| OEL STEL   | 1000 mg/m³                                  |  |
|  | 400 ppm                                     |  |
| Regulatory reference                               | Koninklijk besluit/Arrêté royal 16/11/2023  |  |
| 1-methoxy-2-propanol; monopropylene glyco          | l methyl ether (107-98-2)                   |  |
| EU - Indicative Occupational Exposure Limit (IOEL) |   |  |
| Local name   | 1-Methoxypropanol-2                         |  |
| IOEL TWA   | 375 mg/m³                                   |  |
|  | 100 ppm                                     |  |
| IOEL STEL  | 568 mg/m³                                   |  |
|  | 150 ppm                                     |  |
| Remark   | Skin  |  |
| Regulatory reference                               | COMMISSION DIRECTIVE 2000/39/EC             |  |
| Belgium - Occupational Exposure Limits             |   |  |
| Local name   | 1-Méthoxy-2-propanol # 1-Methoxy-2-propanol |  |
| OEL TWA  | 184 mg/m³                                   |  |
|  | 50 ppm                                      |  |
| OEL STEL   | 369 mg/m³                                   |  |
|  | 100 ppm                                     |  |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| I-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) |  |  |
|--|--|--|
| Remark   | D: la mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air. # D: de vermelding "D" betekent dat de opname van het agens via de huid, de slijmvliezen of de ogen een belangrijk deel van de totale blootstelling vormt. Deze opname kan het gevolg zijn van zowel direct contact als zijn aanwezigheid in de lucht. |  |
| Regulatory reference   | Koninklijk besluit/Arrêté royal 16/11/2023   |  |

#### **DNEL and PNEC**

| propan-2-ol; isopropyl alcohol; isopropanol ( | propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) |  |  |
|---|---|--|--|
| NEL/DMEL (Workers)                            |   |  |  |
| Long-term - systemic effects, dermal          | 888 mg/kg bodyweight/day                              |  |  |
| Long-term - systemic effects, inhalation      | 500 mg/m³   |  |  |
| DNEL/DMEL (General population)                |   |  |  |
| Long-term - systemic effects,oral             | 26 mg/kg bodyweight/day                               |  |  |
| Long-term - systemic effects, inhalation      | 89 mg/m³  |  |  |
| Long-term - systemic effects, dermal          | 319 mg/kg bodyweight/day                              |  |  |
| PNEC (Water)                                  |   |  |  |
| PNEC aqua (freshwater)                        | 140,9 mg/l  |  |  |
| PNEC aqua (marine water)                      | 140,9 mg/l  |  |  |
| PNEC aqua (intermittent, freshwater)          | 140,9 mg/l  |  |  |
| PNEC (Sediment)                               |   |  |  |
| PNEC sediment (freshwater)                    | 552 mg/kg dwt   |  |  |
| PNEC sediment (marine water)                  | 552 mg/kg dwt   |  |  |
| PNEC (Soil)                                   |   |  |  |
| PNEC soil                                     | 28 mg/kg dwt  |  |  |
| PNEC (Oral)                                   |   |  |  |
| PNEC oral (secondary poisoning)               | 160 mg/kg food  |  |  |
| PNEC (STP)                                    |   |  |  |
| PNEC sewage treatment plant                   | 2251 mg/l   |  |  |
| 1-methoxy-2-propanol; monopropylene glyco     | l methyl ether (107-98-2)                             |  |  |
| DNEL/DMEL (Workers)                           |   |  |  |
| Acute - systemic effects, inhalation          | 553,5 mg/m³   |  |  |
| Acute - local effects, inhalation             | 553,5 mg/m³   |  |  |
| Long-term - systemic effects, dermal          | 183 mg/kg bodyweight/day                              |  |  |
| Long-term - systemic effects, inhalation      | 369 mg/m³   |  |  |
| DNEL/DMEL (General population)                |   |  |  |
| Long-term - systemic effects,oral             | 33 mg/kg bodyweight/day                               |  |  |
| Long-term - systemic effects, inhalation      | 43,9 mg/m³  |  |  |
| Long-term - systemic effects, dermal          | 78 mg/kg bodyweight/day                               |  |  |
|   |   |  |  |

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2) |                            |  |
|--|----------------------------|--|
| PNEC (Water)   |                            |  |
| PNEC aqua (freshwater)   | 10 mg/l                    |  |
| PNEC aqua (marine water)   | 1 mg/l                     |  |
| PNEC aqua (intermittent, freshwater)                               | 100 mg/l                   |  |
| PNEC (Sediment)  |                            |  |
| PNEC sediment (freshwater)   | 52,3 mg/kg dwt             |  |
| PNEC sediment (marine water)                                       | 5,2 mg/kg dwt              |  |
| PNEC (Soil)  |                            |  |
| PNEC soil  | 4,59 mg/kg dwt             |  |
| PNEC (STP)   |                            |  |
| PNEC sewage treatment plant  | 100 mg/l                   |  |
| Hydrocarbons, C9-C10, n-alkanes, isoalkanes                        | s, cyclics, < 2% aromatics |  |
| DNEL/DMEL (Workers)  |                            |  |
| Long-term - systemic effects, dermal                               | 77 mg/kg bodyweight/day    |  |
| Long-term - systemic effects, inhalation                           | 871 mg/m³                  |  |
| DNEL/DMEL (General population)                                     |                            |  |
| Long-term - systemic effects,oral                                  | 46 mg/kg bodyweight/day    |  |
| Long-term - systemic effects, inhalation                           | 185 mg/m³                  |  |
| Long-term - systemic effects, dermal                               | 46 mg/kg bodyweight/day    |  |

#### 8.2. Exposure controls

#### Appropriate engineering controls

## Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Personal protection equipment

## Personal protective equipment symbol(s):





## Eye and face protection

## Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields.

### Skin protection

## Skin and body protection:

Wear suitable protective clothing

## Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended.

## **Respiratory protection**

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Thermal hazards

#### Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Odour : Characteristic.
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : > 80 °C

Flammability : Highly flammable liquid and vapour.

Lower explosion limit : Not available
Upper explosion limit : Not available
Flash point : 12 °C (closed cup)

Auto-ignition temperature : > 200

Decomposition temperature : Not available
pH : Not applicable
Viscosity, kinematic : < 10 mm²/s at 40 °C
Solubility : Partly soluble in water.

Partition coefficient n-octanol/water (Log Kow)

Vapour pressure

Vapour pressure at 50°C

Density

Relative density

Relative vapour density at 20°C

Particle characteristics

Not available

Not available

Not available

Not available

Not available

Not available

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Avoid temperatures exceeding the flash point.

## 10.5. Incompatible materials

Strong oxidizing agents.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2).

## **SECTION 11: Toxicological information**

| 11.1. Information on | hazard c | classes as defin | ed in Regulation | (EC | ) No 1272/2008 |
|----------------------|----------|------------------|------------------|-----|----------------|
|                      |          |                  |                  |     |                |

Acute toxicity (oral)

Solution:

Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal)

Could be acute toxicity (inhalation)

Not classified (Based on available data, the classification criteria are not met)

Not classified (Based on available data, the classification criteria are not met)

| Acute toxicity (innalation)          | : Not classified (Based on available data, the classification criteria are not met)                    |  |  |
|--------------------------------------|--|--|--|
| propan-2-ol; isopropyl alcohol; isop | ropanol (67-63-0)  |  |  |
| LD50 oral rat                        | D50 oral rat 5840 mg/kg bodyweight   |  |  |
| 1-methoxy-2-propanol; monopropyle    | ene glycol methyl ether (107-98-2)   |  |  |
| LD50 oral rat                        | 4016 mg/kg   |  |  |
| LD50 dermal rabbit                   | > 2000 mg/kg   |  |  |
| LC50 Inhalation - Rat                | > 25,8 mg/l  |  |  |
| Hydrocarbons, C9-C10, n-alkanes, is  | soalkanes, cyclics, < 2% aromatics   |  |  |
| LD50 oral rat                        | > 15000 mg/kg bodyweight   |  |  |
| LD50 dermal rabbit                   | ≥ 3160 mg/kg bodyweight  |  |  |
| LC50 Inhalation - Rat                | ≥ 6,1 mg/l/4h  |  |  |
| Skin corrosion/irritation            | : Not classified (Based on available data, the classification criteria are not met) pH: Not applicable |  |  |
| Serious eye damage/irritation        | : Causes serious eye irritation. pH: Not applicable  |  |  |
| Respiratory or skin sensitisation    | : Not classified (Based on available data, the classification criteria are not met)                    |  |  |
| Germ cell mutagenicity               | : Not classified (Based on available data. the classification criteria are not met)                    |  |  |

pH: Not applicable

Respiratory or skin sensitisation

: Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity

: Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity

: Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity

: Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure

: May cause drowsiness or dizziness.

## propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

STOT-single exposure May cause drowsiness or dizziness.

## 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)

STOT-single exposure May cause drowsiness or dizziness.

## Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

| 1 | l-methoxy-2 | 2-propanol | ; monopropy | lene glyco | l methyl | ether | (107-98-2 | ) |
|---|-------------|------------|-------------|------------|----------|-------|-----------|---|
|   |             |            |             |            |          |       |           |   |

| LOAEL (oral, rat, 90 days)          | 2757 mg/kg bodyweight   |
|-------------------------------------|-------------------------|
| NOAEL (oral, rat, 90 days)          | 919 mg/kg bodyweight    |
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg bodyweight |

#### Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Tryurocurbons, 05-010, II-unanos, Isounanos, Oyonos, 42% dromatics |                        |
|--|------------------------|
| NOAEL (oral, rat, 90 days)   | ≥ 500 mg/kg bodyweight |
| NOAEC (inhalation, rat, vapour, 90 days)                           | > 10,4 mg/l air        |

Aspiration hazard : May be fatal if swallowed and enters airways.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ndustrial ECO Degreaser  |                     |
|--|---------------------|
| Viscosity, kinematic   | < 10 mm²/s at 40 °C |
| 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)   |                     |
| Viscosity, kinematic   | 1,848 mm²/s         |
| Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics |                     |
| Viscosity, kinematic   | 1,06 mm²/s          |

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

: Not classified (Based on available data, the classification criteria are not met)

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

LC50 - Fish [1]

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

| LC50 - Fish [2]                     | 9640 mg/l                      |
|-------------------------------------|--------------------------------|
| 1-methoxy-2-propanol; monopropylene | glycol methyl ether (107-98-2) |
| LC50 - Fish [1]                     | 6812 mg/l                      |
| LC50 - Fish [2]                     | 20800 mg/l                     |
| EC50 - Crustacea [1]                | 21100 – 25900 mg/l             |
| EC50 - Other aquatic organisms [1]  | 2954 mg/l                      |
| ErC50 algae                         | > 1000 mg/l                    |

10000 mg/l

## Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| LC50 - Fish [1]      | 10 – 30 mg/l Oncorhynchus mykiss        |
|----------------------|---|
| EC50 - Crustacea [1] | 22 – 46 mg/l Daphnia magna (Water flea) |

## 12.2. Persistence and degradability

## **Industrial ECO Degreaser**

| Persistence and degradability | Not established. No data is available on the degradability of this product. |
|-------------------------------|---|
|-------------------------------|---|

## 12.3. Bioaccumulative potential

| Industrial ECO Degreaser                        |                |
|---|----------------|
| Partition coefficient n-octanol/water (Log Kow) | Not applicable |

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)   |       |
|--|-------|
| Bioconcentration factor (BCF REACH)                                  | < 100 |
| Partition coefficient n-octanol/water (Log Pow)                      | 0,37  |
| Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics |       |
| Partition coefficient n-octanol/water (Log Pow) 4                    |       |

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

# Industrial ECO Degreaser Results of PBT assessment Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

## 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

#### 12.7. Other adverse effects

| Industrial ECO Degreaser |                        |
|--------------------------|------------------------|
| Other information        | No other effects known |

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods European List of Waste (LoW, EC 2000/532)

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR  | IMDG  | IATA  | ADN   | RID   |  |
|--|---|---|---|---|--|
| 14.1. UN number or ID n  | umber   |   |   |   |  |
| UN 1993  | UN 1993   | UN 1993   | UN 1993   | UN 1993   |  |
| 14.2. UN proper shippin  | g name  |   |   |   |  |
| FLAMMABLE LIQUID,<br>N.O.S. (Isopropanol;<br>Hydrocarbons C9-C10)                          | FLAMMABLE LIQUID,<br>N.O.S. (Isopropanol;<br>Hydrocarbons C9-C10)                   | Flammable liquid, n.o.s.<br>(Isopropanol; Hydrocarbons<br>C9-C10)                   | FLAMMABLE LIQUID,<br>N.O.S. (Isopropanol;<br>Hydrocarbons C9-C10)                   | FLAMMABLE LIQUID,<br>N.O.S. (Isopropanol;<br>Hydrocarbons C9-C10)                   |  |
| Transport document descr   | Transport document description  |   |   |   |  |
| UN 1993 FLAMMABLE<br>LIQUID, N.O.S.<br>(Isopropanol; Hydrocarbons<br>C9-C10), 3, II, (D/E) | UN 1993 FLAMMABLE<br>LIQUID, N.O.S.<br>(Isopropanol; Hydrocarbons<br>C9-C10), 3, II | UN 1993 Flammable liquid,<br>n.o.s. (Isopropanol;<br>Hydrocarbons C9-C10), 3,<br>II | UN 1993 FLAMMABLE<br>LIQUID, N.O.S.<br>(Isopropanol; Hydrocarbons<br>C9-C10), 3, II | UN 1993 FLAMMABLE<br>LIQUID, N.O.S.<br>(Isopropanol; Hydrocarbons<br>C9-C10), 3, II |  |

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR                               | IMDG   | IATA                              | ADN                               | RID                               |
|-----------------------------------|--|-----------------------------------|-----------------------------------|-----------------------------------|
| 4.3. Transport hazard             | class(es)  |                                   |                                   |                                   |
| 3                                 | 3  | 3                                 | 3                                 | 3                                 |
| 3                                 | 3  | 3                                 | 3                                 | 3                                 |
| 4.4. Packing group                |  |                                   |                                   |                                   |
| II                                | II   | II                                | II                                | II                                |
| 4.5. Environmental ha             | zards  |                                   |                                   |                                   |
| Dangerous for the environment: No | Dangerous for the<br>environment: No<br>Marine pollutant: No<br>EmS-No. (Fire): F-E<br>EmS-No. (Spillage): S-E | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1

Special provisions (ADR) : 274, 601, 640D

Limited quantities (ADR) : 1I Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20
Hazard identification number (Kemler No.) : 33

Orange plates :

33 1993

Tunnel restriction code (ADR) : D/E

#### Transport by sea

Special provisions (IMDG): 274Limited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T7

Tank special provisions (IMDG) : TP1, TP28, TP8

Stowage category (IMDG) : B

## Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3 ERG code (IATA) : 3H

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 274, 601, 640D

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 274, 601, 640D

Limited quantities (RID) : 1L Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU-Regulations**

## **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

## Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **Detergent Regulation (648/2004)**

| Labelling of contents  |      |
|------------------------|------|
| Component              | %    |
| aliphatic hydrocarbons | ≥30% |

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

## **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

| Abbreviations and acronyms: |   |  |
|-----------------------------|---|--|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |  |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |  |
| ATE                         | Acute Toxicity Estimate   |  |
| BCF                         | Bioconcentration factor   |  |
| BLV                         | Biological limit value  |  |
| BOD                         | Biochemical oxygen demand (BOD)   |  |
| COD                         | Chemical oxygen demand (COD)  |  |
| DMEL                        | Derived Minimal Effect level  |  |
| DNEL                        | Derived-No Effect Level   |  |
| EC-No.                      | European Community number   |  |
| EC50                        | Median effective concentration  |  |
| EN                          | European Standard   |  |
| IARC                        | International Agency for Research on Cancer   |  |
| IATA                        | International Air Transport Association   |  |
| IMDG                        | International Maritime Dangerous Goods  |  |
| LC50                        | Median lethal concentration   |  |
| LD50                        | Median lethal dose  |  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |  |
| NOAEL                       | No-Observed Adverse Effect Level  |  |
| NOEC                        | No-Observed Effect Concentration  |  |
| OECD                        | Organisation for Economic Co-operation and Development  |  |
| OEL                         | Occupational Exposure Limit   |  |
| PBT                         | Persistent Bioaccumulative Toxic  |  |
| PNEC                        | Predicted No-Effect Concentration   |  |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |  |

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |  |
|-----------------------------|--|
| SDS                         | Safety Data Sheet                        |
| STP                         | Sewage treatment plant                   |
| ThOD                        | Theoretical oxygen demand (ThOD)         |
| TLM                         | Median Tolerance Limit                   |
| VOC                         | Volatile Organic Compounds               |
| CAS-No.                     | Chemical Abstract Service number         |
| N.O.S.                      | Not Otherwise Specified                  |
| vPvB                        | Very Persistent and Very Bioaccumulative |
| ED                          | Endocrine disruptor                      |

| Full text of H- and EUH-statements: |  |  |
|-------------------------------------|--|--|
| Aquatic Chronic 3                   | Hazardous to the aquatic environment – Chronic Hazard, Category 3      |  |
| Asp. Tox. 1                         | Aspiration hazard, Category 1  |  |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                          |  |
| Flam. Liq. 2                        | Flammable liquids, Category 2  |  |
| Flam. Liq. 3                        | Flammable liquids, Category 3  |  |
| STOT SE 3                           | Specific target organ toxicity – Single exposure, Category 3, Narcosis |  |
| H225                                | Highly flammable liquid and vapour.                                    |  |
| H226                                | Flammable liquid and vapour.   |  |
| H304                                | May be fatal if swallowed and enters airways.                          |  |
| H319                                | Causes serious eye irritation.   |  |
| H336                                | May cause drowsiness or dizziness.                                     |  |
| H412                                | Harmful to aquatic life with long lasting effects.                     |  |
| EUH066                              | Repeated exposure may cause skin dryness or cracking.                  |  |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.