

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 29/10/2024 Revision date: 30/08/2024 Supersedes version of: 09/03/2023 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name
UFI
Product code
Type of product
Vaporizer

: KONTAKT 60 : CD1X-Y8H5-0002-4WPY

- : BDS000534AE
- : Detergent
- : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category Use of the substance/mixture : Professional use : Cleaners - Precision

1.3. Details of the supplier of the safety data sheet

Supplier

CRC Industries Europe B.V. Touwslagerstraat 1 9240 Zele Belgium T +32(0)52/45.60.11, F +32(0)52/45.00.34 hse@crcind.com, www.crcind.com

1.4. Emergency telephone number

Emergency number

: +32(0)52/45.60.11 Office hours: 9-17h CET

Country/Area	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Rue Bruyn 1 1120 Brussels	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity – Single exposure, Category 3,	H336
Narcosis	
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard,	H412
Category 3	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS02 GHS07 Signal word (CLP) : Danger Contains : Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane; propan-2-ol; isopropyl alcohol; isopropanol; butan-2-ol Hazard statements (CLP) : H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness. H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) : P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P261 - Avoid breathing vapours/spray. P271 - Use only outdoors or in a well-ventilated area. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (BE)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	25 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	EC-No.: 921-024-6 REACH-no: 01-2119475514- 35	< 25	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
butan-2-ol substance with national workplace exposure limit(s) (BE)	CAS-No.: 78-92-2 EC-No.: 201-158-5 EC Index-No.: 603-127-00-5 REACH-no: 01-2119475146- 36	< 20	Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 STOT SE 3, H335
White mineral oil (petroleum) substance with national workplace exposure limit(s) (BE)	CAS-No.: 8042-47-5 EC-No.: 232-455-8 REACH-no: 01-2119487078- 27	5 – 10	Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Carbon dioxide (CO2) (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit	CAS-No.: 124-38-9	1 – 5	Press. Gas (Comp.), H280

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop, get medical attention.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. Seek medical attention if irritation develops.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Seek medical attention if irritation develops.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard	: Extremely flammable aerosol.		
Explosion hazard	: Pressurised container: May burst if heated.		
Hazardous decomposition products in case of fire	: During fire, gases hazardous to health may be formed.		
5.3. Advice for firefighters			
Firefighting instructions	: Move containers from fire area if it can be done without personal risk. Use standard firefighting procedures and consider the hazards of other involved materials.		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	
Protective equipment Emergency procedures	 Wear appropriate protective equipment and clothing during clean-up. Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing
Emergency procedures	dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Ventilate area.
6.2. Environmental precautions	

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: Mechanically recover the product. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to remove residual contamination.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industrial hygiene and safety procedures.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection 8.1. Control parameters National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

Belgium - Occupational Exposure Limits

Local name

Alcool isopropylique # Isopropylalcohol

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
OEL TWA	500 mg/m³		
	200 ppm		
OEL STEL	1000 mg/m³		
	400 ppm		
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023		
butan-2-ol (78-92-2)			
Belgium - Occupational Exposure Limits			
Local name	Alcool sec-butylique # sec-Butanol		
OEL TWA	307 mg/m ³		
	100 ppm		
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023		
White mineral oil (petroleum) (8042-47-5)			
Belgium - Occupational Exposure Limits			
Local name	Huiles minérales (brouillards) # Olie (minerale-; nevel)		
OEL TWA	5 mg/m³		
OEL STEL	10 mg/m³		
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023		
Carbon dioxide (CO2) (124-38-9)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Carbon dioxide		
IOEL TWA	9000 mg/m ³		
	5000 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
Belgium - Occupational Exposure Limits			
Local name	Carbone (dioxyde de) # Koolstofdioxide		
OEL TWA	9131 mg/m ³		
	5000 ppm		
OEL STEL	54784 mg/m³		
	30000 ppm		
Remark	A: la mention "A" signifie que l'agent libère un gaz ou une vapeur qui n'ont en eux-mêmes aucun effet physiologique mais peuvent diminuer le taux d'oxygène dans l'air. Lorsque le taux d'oxygène descend en dessous de 17-18 % (vol/vol) le manque d'oxygène provoque des suffocations qu'aucun symptôme préalable n'annonce. # A: de vermelding "A" betekent dat dit agens gas of damp vrijgeeft dat of die op zich geen fysiologische werking heeft, maar het zuurstofgehalte in de lucht verlaagt. Wanneer het zuurstofgehalte daalt onder de 17-18 % (vol/vol), veroorzaakt het zuurstoftekort verstikking, die zich manifesteert zonder dat er een waarschuwing aan voorafgaat.		
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

DNEL and PNEC

Long-term - systemic effects, inhalation737 ag/kg bodyweight/dayLong-term - systemic effects, inhalation699 mg/kg bodyweight/dayLong-term - systemic effects, analation699 mg/kg bodyweight/dayLong-term - systemic effects, inhalation690 mg/m²Long-term - systemic effects, dermal690 mg/kg bodyweight/daypropar-2-ol; isopropyl alcohol; isopropart5-3-00DNELDMEL (Workers)000 mg/m²Long-term - systemic effects, dermal680 mg/kg bodyweight/dayLong-term - systemic effects, inhalation690 mg/kg bodyweight/dayLong-term - systemic effects, inhalation890 mg/m²DNELDMEL (Morkers)260 mg/m²Long-term - systemic effects, inhalation890 mg/m²Long-term - systemic effects, inhalation890 mg/m²PNELOMEL (Workers)131 mg/kg bodyweight/dayPNEC (Mexin)140.9 mg/lPNEC aqua (marine water)40.9 mg/lPNEC aqua (intermittent, freshwater)52 mg/kg dod/weight/dayPNEC aqua (intermittent, freshwater)52 mg/kg dod/weight/dayPNEC aqua (intermittent, freshwater)52 mg/kg dodPNEC agate (intermittent, freshwater)52 mg/	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		
Long-term - systemic effects, inhalation2035 mg/m²DNEL/DMEL (General population)699 mg/kg bodyweight/dayLong-term - systemic effects, oral699 mg/kg bodyweight/dayLong-term - systemic effects, dermal699 mg/kg bodyweight/daypropan-2-ol; isopropyl alcohol; isopropyl systemic effects, dermal888 mg/kg bodyweight/dayDNEL/DMEL (Workers)500 mg/m²Long-term - systemic effects, inhalation500 mg/m²DNEL/DMEL (General population)500 mg/m²Long-term - systemic effects, inhalation89 mg/kg bodyweight/dayLong-term - systemic effects, inhalation80 mg/kg bodyweight/dayDNEL/DMEL (General population)80 mg/m²Long-term - systemic effects, inhalation80 mg/m²Long-term - systemic effects, inhalation319 mg/kg bodyweight/dayPNEC aqua (marine water)140.9 mg/lPNEC aqua (interimitert, freshwater)522 mg/kg dwiPNEC aqua (interimitert, freshwater)552 mg/kg dwiPNEC aqua (interimitert, freshwater)552 mg/kg dwiPNEC aqua (interimitert, freshwater)552 mg/kg dwiPNEC aqua (interimitert, freshwater)522 mg/kg dwiPNEC aqua (interimitert, freshwater)520 mg/kg lodaPNEC aqua (interimitert, freshwater)520 mg/kg loda <tr< td=""><td colspan="3">DNEL/DMEL (Workers)</td></tr<>	DNEL/DMEL (Workers)		
DNEL/DNEL (General population) 699 mg/kg bodyweight/day Long-term - systemic effects, inhalation 608 mg/m² Long-term - systemic effects, dermal 699 mg/kg bodyweight/day propan-2-0; Isopropyl alcoho]: isopropan (JF-3-) DDELDDNEL (Workers) Long-term - systemic effects, inhalation 500 mg/m² DomeLDMEL (Workers) 500 mg/m² Long-term - systemic effects, inhalation 500 mg/m² DNELDMEL (General population) 500 mg/m² Long-term - systemic effects, inhalation 89 mg/m² PNEC (Yacu) 140,9 mg/l PNEC aqua (intermitter, freshwater) 140,9 mg/l PNEC aqua (intermitter, freshwater) 552 mg/kg dwl PNEC (Solinent) 52 mg/kg dwl PNEC (Solinent) 100 mg/kg food PNEC (Solinent)	Long-term - systemic effects, dermal	773 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation699 mg/kg bodyweight/dayLong-term - systemic effects, inhalation699 mg/kg bodyweight/daypropan-2-ol; isopropyl alcohol; isopropanol (-F-G3-0)DNEL/DMEL (Workers)Long-term - systemic effects, inhalation800 mg/kg bodyweight/dayLong-term - systemic effects, inhalation800 mg/kg bodyweight/dayDNEL/DMEL (Konceral population)Long-term - systemic effects, inhalation80 mg/kg bodyweight/dayLong-term - systemic effects, inhalation80 mg/kg bodyweight/dayLong-term - systemic effects, inhalation80 mg/kg bodyweight/dayLong-term - systemic effects, inhalation80 mg/kgLong-term - systemic effects, inhalation80 mg/kgPNEC Gau(Intermittent, frishwater)140,9 mg/lPNEC Gau(Intermittent, frishwater)522 mg/kg dwitPNEC Gau(Intermittent, frishwater)523 mg/kg dwitPNEC Gau(Intermittent, frishwater)523 mg/kg dwitPNEC Gau(Intermittent, frishwater)523 mg/kg dwitPNEC Gau(Intermittent, frishwater)523 mg/kg dwitPNEC Gau(Intermittent, frishwater)215 mg/kg dodyweight/dayPNEC Gau(Intermittent, frishwater)521 mg/kg bodyweight/dayPNEC Gau(Intermittent,	Long-term - systemic effects, inhalation	2035 mg/m³	
Long-term - systemic effects, inhalation 608 mg/m² Long-term - systemic effects, dermal 699 mg/kg bodyweight/day propan-2-ol; isopropyl alcohol; isopropanol (57-63-0) DNELDMEL (Workers) 888 mg/kg bodyweight/day Long-term - systemic effects, dermal 888 mg/kg bodyweight/day Long-term - systemic effects, inhalation 500 mg/m² DNELDMEL (General population) 26 mg/kg bodyweight/day Long-term - systemic effects, inhalation 89 mg/m² Long-term - systemic effects, dermal 89 mg/m² Long-term - systemic effects, dermal 19 mg/kg bodyweight/day PNEC Aqua (reshwater) 140,9 mg/l PNEC aqua (intermittent, freshwater) 140,9 mg/l PNEC aqua (intermittent, freshwater) 552 mg/kg dwt PNEC adument (freshwater) 552 mg/kg dwt PNEC adument (freshwater) 160 mg/kg food PNEC adument pointoning) 160 mg/kg food PNEC coral (secondary poisoning) 160 mg/kg bodyweight/day	DNEL/DMEL (General population)		
Long-term - systemic effects, dermal 699 mg/kg bodyweight/day propan-2-ol; isopropyl alcohol; isopropanol (F-G3-O) DNELDMEL (Workers) 888 mg/kg bodyweight/day Long-term - systemic effects, inhalation 500 mg/m ³ DNELDMEL (General population) 888 mg/kg bodyweight/day Long-term - systemic effects, inhalation 89 mg/m ³ Long-term - systemic effects, inhalation 89 mg/m ³ Long-term - systemic effects, dermal 89 mg/m ³ Long-term - systemic effects, inhalation 89 mg/m ³ Long-term - systemic effects, inhalation 89 mg/m ³ Long-term - systemic effects, andmal 190 mg/kg bodyweight/day PNEC form - systemic effects, andmal 140,9 mg/l PNEC aqua (intermittent, frashwater) 140,9 mg/l PNEC aqua (intermittent, frashwater) 140,9 mg/l PNEC adument (intershwater) 552 mg/kg dwl PNEC Gediment) 552 mg/kg dwl PNEC Gediment (intershwater) 552 mg/kg dwl PNEC (oral) 89 mg/kg bodyweight/day PNEC (oral) 600 mg/mg bodyweight/day PNEC (oral) 160 mg/kg bodyweight/day PNEC (oral) <t< td=""><td>Long-term - systemic effects,oral</td><td>699 mg/kg bodyweight/day</td></t<>	Long-term - systemic effects,oral	699 mg/kg bodyweight/day	
propan-2-ol; isopropyl alcohol; isopropanol (s7-63-0) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 888 mg/kg bodyweight/day Long-term - systemic effects, inhalation 500 mg/m² DNEL/DMEL (General population) 26 mg/kg bodyweight/day Long-term - systemic effects, inhalation 89 mg/m² Long-term - systemic effects, dermal 89 mg/kg bodyweight/day PNEC Qual (reshwater) 140,9 mg/l PNEC Aqua (marine water) 140,9 mg/l PNEC Aqua (intermittent, freshwater) 52 mg/kg dvt PNEC Sediment (freshwater) 160 mg/kg dvt PNEC Coral (secondary poisoning) 160 mg/kg food PNEC Coral (secondary poisoning) 160 mg/kg food PNEC Coral (secondary poisoning) 160 mg/kg bodyweight/day <	Long-term - systemic effects, inhalation	608 mg/m³	
DNEL/DMEL (Workors) B88 mg/kg bodyweight/day Long-tern - systemic effects, inhalation 500 mg/m³ DNEL/DMEL (General population) 26 mg/kg bodyweight/day Long-tern - systemic effects, oral 26 mg/kg bodyweight/day Long-tern - systemic effects, inhalation 89 mg/m³ Long-tern - systemic effects, inhalation 89 mg/m³ Long-tern - systemic effects, dermal 319 mg/kg bodyweight/day PNEC Agua (freshwater) 140,9 mg/l PNEC aqua (intermittent, freshwater) 140,9 mg/l PNEC aqua (intermittent, freshwater) 140,9 mg/l PNEC aqua (intermittent, freshwater) 52 mg/kg dwt PNEC aqua (intermittent, freshwater) 52 mg/kg dwt PNEC soli 52 mg/kg dwt PNEC corol	Long-term - systemic effects, dermal	699 mg/kg bodyweight/day	
Long-tern - systemic effects, inhalation 888 mg/kg bodyweight/day Long-tern - systemic effects, inhalation 26 mg/kg bodyweight/day DNELDMEL (General population) 26 mg/kg bodyweight/day Long-tern - systemic effects, inhalation 89 mg/m³ Long-tern - systemic effects, inhalation 89 mg/m³ Long-tern - systemic effects, inhalation 89 mg/m³ Long-tern - systemic effects, dermal 19 mg/kg bodyweight/day PNEC Gauge (freshwater) 140.9 mg/l PNEC aqua (marine water) 140.9 mg/l PNEC Gediment) 52 mg/kg dwd PNEC Gediment (freshwater) 52 mg/kg dwd PNEC Gediment (marine water) 52 mg/kg dwd PNEC Gediment (marine water) 52 mg/kg dwd PNEC Gediment (marine water) 160 mg/kg food PNEC Goal (Gecondary poisoning) 160 mg/kg food PNEC Corol (Gecondary poisoning) 251 mg/l PNEC Sewage treatment plant 251 mg/l Dust_JOMEL (Workers) 251 mg/l Long-tern - systemic effects, dermal 405 mg/kg bodyweight/day Long-tern - systemic effects, nahalation 600 mg/m² Dust_JOMEL (General population)	propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Log-term - systemic effects, inhalation 500 mg/m ³ DNEL/DMEL (General population) 26 mg/kg bodyweight/day Long-term - systemic effects, inhalation 89 mg/m ³ Long-term - systemic effects, inhalation 89 mg/m ³ Long-term - systemic effects, dermal 319 mg/kg bodyweight/day PNEC (wator) 140.9 mg/l PNEC aqua (marine water) 140.9 mg/l PNEC aqua (intermittent, freshwater) 140.9 mg/l PNEC aqua (intermittent, freshwater) 552 mg/kg dwl PNEC sediment (marine water) 80 mg/kg food PNEC (soll) 28 mg/kg dwd PNEC sedige condary poisoning) 160 mg/kg food PNEC servage treatment plant 251 mg/l Dust_rOMEL (Workers) 251 mg/kg bodyweight/day Long-term - systemic effects, inhalation 600 mg/m ³ DNEL/DMEL (General population) 600 mg/m ³ Long-term - systemic effects, ranal 15 mg/kg bodyweight/day Long-term - systemic effects, ranal	DNEL/DMEL (Workers)		
DBEL/DMEL (General population) 26 mg/kg bodyweight/day Long-term - systemic effects, inhalation 89 mg/m³ Long-term - systemic effects, inhalation 89 mg/m³ Long-term - systemic effects, dermal 319 mg/kg bodyweight/day PNEC (Water) 140,9 mg/l PNEC aqua (freshwater) 140,9 mg/l PNEC aqua (intermittent, freshwater) 140,9 mg/l PNEC aqua (intermittent, freshwater) 140,9 mg/l PNEC aqua (intermittent, freshwater) 552 mg/kg dwt PNEC sediment) 552 mg/kg dwt PNEC sediment (freshwater) 552 mg/kg dwt PNEC soli 28 mg/kg dwt PNEC soli 28 mg/kg dwt PNEC oral (secondary poisoning) 160 mg/kg food PNEC sewage treatment plant 252 mg/l butar-2-ol (78-92-2) 251 mg/l DNEL/DMEL (Workers) 252 mg/l Long-term - systemic effects, effects, inhalation 600 mg/m³ DNEL/DMEL (General population) 600 mg/m³ DNEL/DMEL (General population) 600 mg/m³ DNEL/DMEL (General population) 600 mg/m³	Long-term - systemic effects, dermal	888 mg/kg bodyweight/day	
Log-tern - systemic effects, oral 26 mg/kg bodyweight/day Log-tern - systemic effects, inhalation 89 mg/m ³ Log-tern - systemic effects, dermal 319 mg/kg bodyweight/day PNEC (Water) 40.9 mg/l PNEC aqua (freshwater) 40.9 mg/l PNEC aqua (intermittent, freshwater) 40.9 mg/l PNEC Aqua (intermittent, freshwater) 52 mg/kg dwt PNEC sediment (freshwater) 552 mg/kg dwt PNEC sediment (freshwater) 552 mg/kg dwt PNEC soli 52 mg/kg dwt PNEC soli 28 mg/kg dwt PNEC foral 28 mg/kg dwd PNEC oral (secondary poisoning) 100 mg/kg food PNEC seawage treatment plant 251 mg/l butar-2-ol (78-92-2) 251 mg/l DNEL/DMEL (Workers) 600 mg/m ³ Long-term - systemic effects, inhalation 600 mg/m ³ DNEL/DMEL (General oppulation) 500 mg/m ³ DNEL/DMEL (General oppulation) 15 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day	Long-term - systemic effects, inhalation	500 mg/m³	
Log-tern - systemic effects, inhalation 89 mg/m³ Long-tern - systemic effects, dermal 319 mg/kg bodyweight/day PNEC (Wator) 140,9 mg/l PNEC aqua (freshwater) 140,9 mg/l PNEC aqua (intermittent, freshwater) 140,9 mg/l PNEC aqua (intermittent, freshwater) 140,9 mg/l PNEC Sediment (freshwater) 552 mg/kg dwt PNEC Sediment (freshwater) 52 mg/kg dwt PNEC Sediment (marine water) 28 mg/kg dwt PNEC Sediment (freshwater) 160 mg/kg food PNEC Sediment poisoning) 160 mg/kg food PNEC Sediment paint 251 mg/l butan-2-ol (T8-92-2) 251 mg/l DEL/DMEL (Workers) 000 mg/m³ Long-tern - systemic effects, dermal 60 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day	DNEL/DMEL (General population)		
Log-tern - systemic effects, dermal 319 mg/kg bodyweight/day PNEC (Water) 140,9 mg/l PNEC aqua (mire water) 140,9 mg/l PNEC aqua (intermittent, freshwater) 140,9 mg/l PNEC sediment 552 mg/kg dwt PNEC sediment (freshwater) 552 mg/kg dwt PNEC sediment (marine water) 552 mg/kg dwt PNEC sediment (marine water) 525 mg/kg dwt PNEC sediment (marine water) 8 Mg/kg dwt PNEC sediment (marine water) 10 mg/kg food PNEC sediment (marine water) 2 Mg/kg dwt PNEC sediment plant 2 Mg/kg dwt DEL/DMEL (Workers) 2 Mg/kg bodyweight/day Long-tern - systemic effects, inhalation 6 Mg/kg bodyweight/day Long-tern - systemic effects, inhalation 1 Mg/kg bodyweight/day Long-tern - sys	Long-term - systemic effects,oral	26 mg/kg bodyweight/day	
PNEC (Water) Id0,9 mg/l PNEC aqua (freshwater) 140,9 mg/l PNEC aqua (marine water) 140,9 mg/l PNEC aqua (intermittent, freshwater) 140,9 mg/l PNEC (Sediment) 140,9 mg/l PNEC (Sediment) 552 mg/kg dwt PNEC sediment (freshwater) 552 mg/kg dwt PNEC sediment (marine water) 552 mg/kg dwt PNEC (Soli) 28 mg/kg dwt PNEC soli 28 mg/kg dwt PNEC oral (secondary poisoning) 160 mg/kg food PNEC sewage treatment plant 251 mg/l PNEC sewage treatment plant 251 mg/l DNEL/DMEL (Workers) 251 mg/l Long-term - systemic effects, inhalation 600 mg/m ² DNEL/DMEL (General population) 600 mg/m ² DNEL/DMEL (General population) 15 mg/kg bodyweight/day Long-term - systemic effects, ranal 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 15 mg/kg bodyweight/day	Long-term - systemic effects, inhalation	89 mg/m³	
PNEC aqua (freshwater)140,9 mg/lPNEC aqua (marine water)140,9 mg/lPNEC aqua (intermittent, freshwater)140,9 mg/lPNEC sediment)552 mg/kg dwtPNEC sediment (freshwater)552 mg/kg dwtPNEC sediment (marine water)552 mg/kg dwtPNEC sediment (marine water)552 mg/kg dwtPNEC soil28 mg/kg dwtPNEC soil28 mg/kg dwtPNEC soil160 mg/kg foodPNEC oral (secondary poisoning)160 mg/kg foodPNEC sewage treatment plant251 mg/lDNELC Setter	Long-term - systemic effects, dermal	319 mg/kg bodyweight/day	
PNEC aqua (marine water) 140,9 mg/l PNEC aqua (intermittent, freshwater) 140,9 mg/l PNEC (sediment) 552 mg/kg dwt PNEC sediment (freshwater) 552 mg/kg dwt PNEC sediment (marine water) 552 mg/kg dwt PNEC soil 28 mg/kg dwt PNEC oral (secondary poisoning) 160 mg/kg food PNEC sewage treatment plant 251 mg/l butan-2-ol (78-92-2) 251 mg/l DNEL/DMEL (Workers) 405 mg/kg bodyweight/day Long-term - systemic effects, inhalation 600 mg/m ³ DNEL/DMEL (General population) 15 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 21 mg/m ³	PNEC (Water)		
PNEC aqua (intermittent, freshwater) 140,9 mg/l PNEC (Sediment) 552 mg/kg dwt PNEC sediment (freshwater) 552 mg/kg dwt PNEC sediment (marine water) 552 mg/kg dwt PNEC sediment (marine water) 552 mg/kg dwt PNEC soil 28 mg/kg dwt PNEC soil 28 mg/kg dwt PNEC soil 28 mg/kg dwd PNEC soil 28 mg/kg food PNEC oral (secondary poisoning) 160 mg/kg food PNEC sewage treatment plant 2251 mg/l btara-2-ol (78-92-2) 2251 mg/l DNEL/DMEL (Workers) 405 mg/kg bodyweight/day Long-term - systemic effects, inhalation 600 mg/m ³ DNEL/DMEL (General population) 500 mg/m ³ Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day	PNEC aqua (freshwater)	140,9 mg/l	
PNEC (Sediment) S52 mg/kg dwt PNEC sediment (freshwater) 552 mg/kg dwt PNEC sediment (marine water) 552 mg/kg dwt PNEC (Soil) 28 mg/kg dwt PNEC soil 28 mg/kg dwt PNEC oral (secondary poisoning) 160 mg/kg food PNEC sewage treatment plant 251 mg/l PNEC sewage treatment plant 251 mg/l DNEL/DMEL (Workers) 405 mg/kg bodyweight/day Long-term - systemic effects, inhalation 600 mg/m ³ DNEL/DMEL (General population) 15 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 15 mg/kg bodyweight/day	PNEC aqua (marine water)	140,9 mg/l	
PNEC sediment (freshwater)552 mg/kg dwtPNEC sediment (marine water)552 mg/kg dwtPNEC soil252 mg/kg dwtPNEC soil28 mg/kg dwtPNEC oral (secondary poisoning)160 mg/kg foodPNEC sewage treatment plant2251 mg/lPNEC sewage treatment plant2251 mg/lDNEL/DMEL (Workers)405 mg/kg bodyweight/dayLong-term - systemic effects, oral600 mg/m³DNEL/DMEL (General population)15 mg/kg bodyweight/dayLong-term - systemic effects, oral15 mg/kg bodyweight/dayLong-term - systemic effects, inhalation213 mg/m³	PNEC aqua (intermittent, freshwater)	140,9 mg/l	
PNEC sediment (marine water) 552 mg/kg dwt PNEC (Soil) 28 mg/kg dwt PNEC soil 28 mg/kg dwt PNEC (Oral) 160 mg/kg food PNEC oral (secondary poisoning) 160 mg/kg food PNEC oral (secondary poisoning) 2251 mg/l PNEC sewage treatment plant 2251 mg/l butan-2-ol (78-92-2) 2251 mg/l DNEL/DMEL (Workers) 600 mg/m3 Long-term - systemic effects, inhalation 600 mg/m3 DNEL/DMEL (General population) 15 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 213 mg/m3	PNEC (Sediment)		
PNEC (Soil) 28 mg/kg dwt PNEC soil 28 mg/kg dwt PNEC (Oral) 160 mg/kg food PNEC oral (secondary poisoning) 160 mg/kg food PNEC (STP) 2251 mg/l PNEC sewage treatment plant 2251 mg/l Dutan-2-ol (78-92-2) 2251 mg/l DNEL/DMEL (Workers) 05 mg/kg bodyweight/day Long-term - systemic effects, inhalation 600 mg/m ³ DNEL/DMEL (General population) 15 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 213 mg/m ³	PNEC sediment (freshwater)	552 mg/kg dwt	
PNEC soil 28 mg/kg dwt PNEC (Oral) PNEC oral (secondary poisoning) 160 mg/kg food PNEC sewage treatment plant 2251 mg/l DNEC sewage treatment plant 2251 mg/l Dutan-2-ol (78-92-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 405 mg/kg bodyweight/day Domg-term - systemic effects, inhalation 600 mg/m³ DNEL/DMEL (General population) 15 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day	PNEC sediment (marine water)	552 mg/kg dwt	
PNEC (Oral) 160 mg/kg food PNEC oral (secondary poisoning) 160 mg/kg food PNEC (STP) 2251 mg/l PNEC sewage treatment plant 2251 mg/l butan-2-ol (78-92-2) 2251 mg/l DNEL/DMEL (Workers) 405 mg/kg bodyweight/day Long-term - systemic effects, inhalation 600 mg/m³ DNEL/DMEL (General population) 15 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 213 mg/m³	PNEC (Soil)		
PNEC oral (secondary poisoning) 160 mg/kg food PNEC (STP) PNEC sewage treatment plant 2251 mg/l 2251 mg/l butan-2-ol (78-92-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 405 mg/kg bodyweight/day Long-term - systemic effects, inhalation 600 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 213 mg/m³	PNEC soil	28 mg/kg dwt	
PNEC (STP) 2251 mg/l PNEC sewage treatment plant 2251 mg/l butan-2-ol (78-92-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 405 mg/kg bodyweight/day Long-term - systemic effects, inhalation 600 mg/m ³ DNEL/DMEL (General population) 15 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day	PNEC (Oral)		
PNEC sewage treatment plant 2251 mg/l butan-2-ol (78-92-2) DNEL/DMEL (Workers) DNEL/DMEL (Workers) 405 mg/kg bodyweight/day Long-term - systemic effects, inhalation 600 mg/m³ DNEL/DMEL (General population) 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 213 mg/m³	PNEC oral (secondary poisoning)	160 mg/kg food	
butan-2-ol (78-92-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 405 mg/kg bodyweight/day Long-term - systemic effects, inhalation 600 mg/m³ DNEL/DMEL (General population) 500 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 213 mg/m³	PNEC (STP)		
DNEL/DMEL (Workers) Long-term - systemic effects, dermal 405 mg/kg bodyweight/day Long-term - systemic effects, inhalation 600 mg/m³ DNEL/DMEL (General population) 5 mg/kg bodyweight/day Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 213 mg/m³	PNEC sewage treatment plant	2251 mg/l	
Long-term - systemic effects, dermal405 mg/kg bodyweight/dayLong-term - systemic effects, inhalation600 mg/m³DNEL/DMEL (General population)Long-term - systemic effects, oral15 mg/kg bodyweight/dayLong-term - systemic effects, inhalation213 mg/m³	butan-2-ol (78-92-2)		
Long-term - systemic effects, inhalation 600 mg/m³ DNEL/DMEL (General population) 500 mg/m³ Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 213 mg/m³	DNEL/DMEL (Workers)		
DNEL/DMEL (General population) Long-term - systemic effects, oral 15 mg/kg bodyweight/day Long-term - systemic effects, inhalation 213 mg/m³	Long-term - systemic effects, dermal	405 mg/kg bodyweight/day	
Long-term - systemic effects, oral15 mg/kg bodyweight/dayLong-term - systemic effects, inhalation213 mg/m³	Long-term - systemic effects, inhalation	600 mg/m³	
Long-term - systemic effects, inhalation 213 mg/m ³	DNEL/DMEL (General population)		
	Long-term - systemic effects,oral	15 mg/kg bodyweight/day	
	Long-term - systemic effects, inhalation	213 mg/m³	
Long-term - systemic effects, dermal 203 mg/kg bodyweight/day	Long-term - systemic effects, dermal	203 mg/kg bodyweight/day	
PNEC (Water)			
PNEC aqua (freshwater) 47,1 mg/l	PNEC aqua (freshwater)	47,1 mg/l	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

butan-2-ol (78-92-2)		
PNEC aqua (marine water)	47,1 mg/l	
PNEC aqua (intermittent, freshwater)	47,1 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	196,19 mg/kg dwt	
PNEC sediment (marine water)	196,19 mg/kg dwt	
PNEC (Soil)		
PNEC soil	11,58 mg/kg dwt	
PNEC (Oral)		
PNEC oral (secondary poisoning)	1000 mg/kg food	
PNEC (STP)		
PNEC sewage treatment plant	761 mg/l	
8.2 Exposure controls		

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protection equipment

Personal protective equipment symbol(s):



Eye and face protection

Eye protection: Use eye protection according to EN 166. Safety glasses with side shields

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended.

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: A

Thermal hazards

Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Red.
Appearance	: CO2 propelled liquid.
Odour	: Solvent.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: > 35 °C
Flammability	: Extremely flammable aerosol.
Explosive properties	: Pressurised container: May burst if heated.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: -35 °C
Auto-ignition temperature	: > 200 °C
Decomposition temperature	: Not available
рН	: Not applicable
Viscosity, kinematic	: < 9,21 mm²/s at 40 °C
Viscosity, dynamic	: < 7 mPa·s at 40 °C
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not applicable
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0,76 g/cm³ at 20 °C
Relative density	: 0,76 at 20 °C
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

Information with regard to physical hazard classes% of flammable ingredients: 75 - 100 %

Other safety characteristics

VOC content Additional information : 640 g/l
: For aerosols data for the product without propellant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2).

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information				
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Acute toxicity (dermal)	Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cyclics, <5% n-hexane			
LD50 oral rat	5841 mg/kg			
LD50 dermal rat	2800 – 3100 mg/kg bodyweight			
LC50 Inhalation - Rat	> 25,2 mg/l/4h			
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
LD50 oral rat	5840 mg/kg bodyweight			
butan-2-ol (78-92-2)				
LD50 oral rat	2193 mg/kg			
LD50 dermal rat	> 2000 mg/kg bodyweight			
White mineral oil (petroleum) (8042-47-5)				
LD50 oral rat	> 5000 mg/kg			
LD50 dermal rabbit	> 2000 mg/kg			
LC50 Inhalation - Rat	> 5 mg/l/4h			
Skin corrosion/irritation	Causes skin irritation. pH: Not applicable			
Respiratory or skin sensitisationGerm cell mutagenicityCarcinogenicity	Causes serious eye irritation. pH: Not applicable Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)			
	May cause drowsiness or dizziness.			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cyclics, <5% n-hexane			
STOT-single exposure	May cause drowsiness or dizziness.			
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
STOT-single exposure	May cause drowsiness or dizziness.			
butan-2-ol (78-92-2)				
STOT-single exposure	May cause drowsiness or dizziness. May cause respiratory irritation.			
STOT-repeated exposure : Aspiration hazard :	Not classified (Based on available data, the classification criteria are not met) May be fatal if swallowed and enters airways.			
KONTAKT 60	iviay be ratar il swallowed and efficits all ways.			
Vaporizer	Aerosol			
Viscosity, kinematic	< 9,21 mm²/s at 40 °C			
Hydrocarbons, C6-C7, n-alkanes, isoalkanes,	cyclics, <5% n-hexane			
Viscosity, kinematic	0,7 mm²/s at 20 °C			
butan-2-ol (78-92-2)				
Viscosity, kinematic	5,185 mm²/s			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

White mineral oil (petroleum) (8042-47-5)		
Viscosity, kinematic > 25 mm²/s		
11.2. Information on other hazards		

Endocrine disrupting properties

Adverse health effects caused by endocrine
disrupting properties: The mixture does not contain substance(s) included in the list established in accordance
with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are
not identified as having endocrine disrupting properties in accordance with the criteria set
out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)
2018/605 at a concentration equal to or greater than 0,1 %

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Hazardous to the aquatic environment, short–term (acute)	Harmful to aquatic life with long lasting effects.Not classified (Based on available data, the classification criteria are not met)		
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.		
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane			
LC50 - Fish [1]	11,4 mg/l		
EC50 - Crustacea [1]	3 mg/l		
EC50 72h - Algae [1]	10 mg/l		
LOEC (chronic)	0,32 mg/l		
NOEC (chronic)	0,17 mg/l		
NOEC chronic fish	2,04 mg/l		
NOEC chronic crustacea	1 mg/l		
propan-2-ol; isopropyl alcohol; isopropano	l (67-63-0)		
LC50 - Fish [1]	10000 mg/l		
LC50 - Fish [2]	9640 mg/l		
butan-2-ol (78-92-2)			
LC50 - Fish [1]	2993 mg/l		
EC50 - Crustacea [1]	308 mg/l		
EC50 72h - Algae [1]	1972 mg/l		
EC50 96h - Algae [1]	2029 mg/l		
White mineral oil (petroleum) (8042-47-5)			
LC50 - Fish [1]	> 100 mg/l		
EC50 - Crustacea [1]	> 100 mg/l		
NOEC chronic fish	> 1000 mg/l		
12.2. Persistence and degradability			
KONTAKT 60			

Persistence and degradability

Not established. No data is available on the degradability of this product.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential		
KONTAKT 60		
Partition coefficient n-octanol/water (Log Kow)	Not applicable	
butan-2-ol (78-92-2)		
Partition coefficient n-octanol/water (Log Pow)	0,65	
Carbon dioxide (CO2) (124-38-9)		
Partition coefficient n-octanol/water (Log Pow)	0,83	
12.4. Mobility in soil		
No additional information available		

No additional information available

12.5. Results of PBT and vPvB assessment				
KONTAKT 60				
Results of PBT assessment	Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII			
12.6. Endocrine disrupting properties				
Adverse effects on the environment caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.			
12.7. Other adverse effects				
	: No other effects known : 0.04 (Fluorinated greenhouse gases - (EC) No 2024/573)			

SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste treatment methods European List of Waste (LoW, EC 2000/532)	 Dispose of contents/container in accordance with licensed collector's sorting instructions. According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transpo	rt information			
In accordance with ADR / IME	DG / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	iption			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.3. Transport hazard	class(es)			
2.1	2.1	2.1	2.1	2.1
4.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.5. Environmental ha	azards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-D EmS-No. (Spillage): S-U	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
lo supplementary informat				

14.6. Special precautions for user

Overland transport		
Classification code (ADR)	:	5F
Special provisions (ADR)	:	190, 327, 344, 625
Limited quantities (ADR)	:	11
Excepted quantities (ADR)	:	E0
Packing instructions (ADR)	:	P207, LP200
Special packing provisions (ADR)	:	PP87, RR6, L2
Mixed packing provisions (ADR)	:	MP9
Transport category (ADR)	-	2
Special provisions for carriage - Packages (ADR)		V14
Special provisions for carriage - Loading, unloading	:	CV9, CV12
and handling (ADR)		
Special provisions for carriage - Operation (ADR)		S2
Tunnel restriction code (ADR)	:	D
Transport by sea		
Special provisions (IMDG)		63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)		SP277
Excepted quantities (IMDG)		EO
Packing instructions (IMDG)		P207, LP200
Special packing provisions (IMDG)		PP87, L2
Stowage category (IMDG)		None
Stowage and handling (IMDG)		SW1, SW22
Segregation (IMDG)		SG69
•••		
Air transport		50
PCA Excepted quantities (IATA)		E0 Y203
PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA)	:	
PCA packing instructions (IATA)		30kgG 203
PCA max net quantity (IATA)		203 75kg
CAO packing instructions (IATA)		203
CAO max net quantity (IATA)		150kg
Special provisions (IATA)		A145, A167, A802
ERG code (IATA)		10L
	•	
Inland waterway transport		
Classification code (ADN)	:	5F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN) Limited quantities (ADN)		190, 327, 344, 625 1 L
Excepted quantities (ADN)	-	E0
Equipment required (ADN)	-	PP, EX, A
Ventilation (ADN)		VE01, VE04
Number of blue cones/lights (ADN)	:	1
Rail transport		
Classification code (RID)	:	5F
Special provisions (RID)	:	190, 327, 344, 625
Limited quantities (RID)	:	1L
Excepted quantities (RID)	:	E0
Packing instructions (RID)	:	P207, LP200
Special packing provisions (RID)	:	PP87, RR6, L2
Mixed packing provisions (RID)	:	MP9
Transport category (RID)	:	2
Special provisions for carriage – Packages (RID)	:	W14
Special provisions for carriage - Loading, unloading and handling (RID)	:	CW9, CW12
Colis express (express parcels) (RID)	:	CE2
Hazard identification number (RID)	:	23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content

: 640 g/l

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
aliphatic hydrocarbons	15-30%

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:

Aerosol 1	Aerosol, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.