




Productname : ROBSIL LUBORSIL PA **Creationdate :** 22.09.11 Version : 1.0
Ref.Nr.: BDS000532_3_20110922 **Replaces:** AB56060

Environment: R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

| | |
|---|--|
| Warning symbol(s) : | EXTREMELY FLAMMABLE  Xi : IRRITANT  N : DANGEROUS FOR THE ENVIRONMENT  |
| Risk-phrase(s) : | R38: Irritating to skin. R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R67: Vapours may cause drowsiness and dizziness. |
| Safety-phrase(s) : | S2: Keep out of the reach of children. S16: Keep away from sources of ignition - No smoking. S23: Do not breathe vapours/spray. S35: This material and its container must be disposed of in a safe way. S51: Use only in well-ventilated areas. |
| Extra label elements according to Aerosol Dispenser Directive 75/324/EC: | Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Without adequate ventilation formation of explosive mixtures may be possible. |
| Other extra label elements: | Remark: Preparations classified as harmful on the basis of an aspiration hazard need not be labelled as harmful with R65 when placed on the market in aerosol containers or in containers fitted with a sealed spray attachment. (EU-Directive 67/548 Annex VI 9.4) |

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

| Hazardous ingredient | CAS-nr. | EC-nr | w/w % | symbol | R-phrases* | Notes |
|----------------------|----------|-----------|-------|---------|-------------------|-------|
| pentane | 109-66-0 | 203-692-4 | 30-60 | F+,Xn,N | 12-51/53-65-66-67 | A |



CRC Industries Europe bvba

Touwslagerstraat 1, 9240 Zele – Belgium
 Tel (+32) (0) 52 / 45 60 11 – Fax (+32) (0) 52 / 45 00 34 – www.crcind.com

2 / 9

Productname : ROBSIL LUBORSIL PA **Creationdate :** 22.09.11 Version : 1.0
Ref.Nr.: BDS000532_3_20110922 **Replaces:** AB56060

| | | | | | | |
|--|----------|-----------|-------|--------|-------------------|-----|
| hydrocarbons,C6,isoalkanes,< 5% n-hexane | - | 931-254-9 | 30-60 | F,Xn,N | 11-38-51/53-65-67 | |
| tetrafluoroethane | 811-97-2 | 212-377-0 | 5-10 | - | - | B |
| carbon dioxide | 124-38-9 | 204-696-9 | 1-5 | - | - | A,G |

Explanation notes

A : substance with Community workplace exposure limit

B : substance with national established workplace exposure limit

G : exempted from the obligation to register in accordance with art.2(7)(a)of REACH Regulation No 1907/2006

| Hazardous ingredient | Registration number | CAS-nr. | EC-nr | w/w % | Hazard Class and Category | Hazard statement | Notes |
|----------------------|---------------------|----------|-----------|-------|---|------------------------|-------|
| pentane | 01-2119459286-30 | 109-66-0 | 203-692-4 | 30-60 | Flam. Liq. 2, Asp. Tox. 1, STOT SE 3, Aquatic Chronic 2 | H225, H304, H336, H411 | A |
| carbon dioxide | | 124-38-9 | 204-696-9 | 1-5 | Press. Gas | H280 | A, G |

Explanation notes

A : substance with Community workplace exposure limit

G : exempted from the obligation to register in accordance with art.2(7)(a)of REACH Regulation No 1907/2006

(* Explanation phrases : see chapter 16)

SECTION 4: First aid measures**4.1. Description of first aid measures**

| | |
|----------------------------|--|
| Contact with eyes : | If substance has got into eyes, immediately wash out with plenty of water Seek medical advice |
| Contact with skin : | Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water Seek medical advice |
| Inhalation : | Fresh air, keep warm and at rest. Seek medical attention if ill effects occur |
| Ingestion : | Ingestion is unlikely to occur If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-----------------------|--|
| Inhalation : | Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness |
| Ingestion : | After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia. Symptoms : sore throat, abdominal pain, nausea, vomiting |
| Skin contact : | Irritating to skin Symptoms : redness and pain |
| Eye contact : | May cause irritation. Symptoms : redness and pain |

4.3. Indication of any immediate medical attention and special treatment needed**General Advice :** If you feel unwell, seek medical advice (show the label where possible)

Productname : ROBSIL LUBORSIL PA
Ref.Nr.: BDS000532_3_20110922

Creationdate : 22.09.11 Version : 1.0
Replaces: AB56060

..... If symptoms persist always call a doctor

SECTION 5: Firefighting measures

5.1. Extinguishing media

foam, carbon dioxide or dry agent

5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C
Forms hazardous decomposition products
CO,CO2
HF may be formed under condition of fire

5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water
In case of fire, do not breathe fumes

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources
Ensure adequate ventilation
Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

6.4. Reference to other sections

For further information see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat and sources of ignition
Take precautionary measures against static discharges
Equipment should be earthed
Use explosion-proof electrical/ventilating/lighting/??/equipment.



Productname : ROBSIL LUBORSIL PA
Ref.Nr.: BDS000532_3_20110922
Creationdate : 22.09.11 Version : 1.0
Replaces: AB56060

Use only non-sparking tools.
 Do not breathe aerosols or vapours.
 Ensure adequate ventilation
 Avoid contact with skin and eyes.
 Wash thoroughly after use
 Wear protective gloves/protective clothing/eye protection/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.
 Keep out of reach of children.

7.3. Specific end use(s)

Release Agents

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits :

| Hazardous ingredient | CAS-nr. | method | |
|---|----------|--------|-----------|
| EU established exposure limits: | | | |
| pentane | 109-66-0 | TWA | 1000 ppm |
| carbon dioxide | 124-38-9 | TWA | 5000 ppm |
| National established exposure limits, United Kingdom | | | |
| pentane | 109-66-0 | TWA | 600 ppm |
| carbon dioxide | 124-38-9 | TWA | 5000 ppm |
| | | STEL | 15000 ppm |
| tetrafluoroethane | 811-97-2 | TWA | 1000 ppm |

8.2. Exposure controls

Control procedures : Ensure adequate ventilation
 Keep away from heat and sources of ignition
 Take precautionary measures against static discharges

Personal protection : Take precautions to avoid contact with skin and eyes when handling the product.
 Ensure adequate ventilation

inhalation : In case of insufficient ventilation, wear suitable respiratory equipment.
 Air purifying respirator equipped with organic gas/vapor cartridge (type A or AX)

hands and skin : Wear suitable protective gloves

eyes : Wear safety goggles.

SECTION 9: Physical and chemical properties



Productname : ROBSIL LUBORSIL PA **Creationdate :** 22.09.11 Version : 1.0
Ref.Nr.: BDS000532_3_20110922 **Replaces:** AB56060

9.1. Information on basic physical and chemical properties

Apperance : physical state : Liquid under pressure.
colour : Colorless.
odour : Solvent.
pH : Not applicable.
Boiling point/range : 55-62 °C
Flash point : < 0 °C
Evaporation rate : Not applicable.
Explosion limits : upper limit : Not available.
lower limit : Not available.
Vapour pressure : Not available.
Relative density : 0.68 g/cm³ (@ 20°C).
Solubility in water : Insoluble in water
Auto-ignition : > 200 200-300°C.
Viscosity : Not available.

9.2. Other information

VOC: blank

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known if used for its intended purpose

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid

Avoid overheating

10.5. Incompatible materials

Strong oxidising agent

10.6. Hazardous decomposition products

CO,CO₂
HF may be formed under condition of fire



Productname : ROBSIL LUBORSIL PA
Ref.Nr.: BDS000532_3_20110922

Creationdate : 22.09.11 Version : 1.0
Replaces: AB56060

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------|--|
| Inhalation : | Inhalation of solvent vapours may give rise to nausea, headaches and dizziness |
| Ingestion : | After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia. |
| Skin contact : | Irritating to skin |
| Eye contact : | May cause irritation. |

Toxicological data :

No information available

SECTION 12: Ecological information

12.1. Toxicity

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Ecotoxicological data:

No information available

12.2. Persistence and degradability

No experimental data available

12.3. Bioaccumulative potential

No experimental data available

12.4. Mobility in soil

Insoluble in water

12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

SECTION 13: Disposal considerations



Productname : ROBSIL LUBORSIL PA **Creationdate :** 22.09.11 Version : 1.0
Ref.Nr.: BDS000532_3_20110922 **Replaces:** AB56060

13.1. Waste treatment methods

Product : This material and its container must be disposed of in a safe way.
Do not discharge into drains or the environment, dispose to an authorised waste collection point.
Contaminated packaging : Disposal should be in accordance with local, state or national legislation

SECTION 14: Transport information

14.1. UN number

UN-number : 1950

14.2. UN proper shipping name

Proper shipping name: AEROSOLS, flammable(naphta, pentane)

14.3. Transport hazard class(es)

Class: 2.1
ADR/RID - Classification code: 5F

14.4. Packing group

Packing group: Not applicable.

14.5. Environmental hazards

ADR/RID - Environmentally hazardous: Yes
IMDG - Marine pollutant: Marine pollutant
IATA/ICAO - Environmentally hazardous: Yes

14.6. Special precautions for user

ADR/RID - Tunnelcode: (D)
IMDG - Ems: F-D,S-U
IATA/ICAO - PAX: 203
IATA/ICAO - CAO: 203

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



| | | | |
|----------------------|----------------------|-----------------------|------------------------|
| Productname : | ROBSIL LUBORSIL PA | Creationdate : | 22.09.11 Version : 1.0 |
| Ref.Nr.: | BDS000532_3_20110922 | Replaces: | AB56060 |

The Safety Data Sheet is compiled according to the current European requirements.
Dir. 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.
EU-directive 99/45/EC
Regulation (EC) No 1907/2006 (REACH)

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

*Explanation risk-phrases: R11: Highly flammable.
R12: Extremely flammable.
R38: Irritating to skin.
R65: Harmful: may cause lung damage if swallowed.
R66: Repeated exposure may cause skin dryness or cracking.
R67: Vapours may cause drowsiness and dizziness.
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

*Explanation hazard statements: H225 : Highly flammable liquid and vapour.
H280 : Contains gas under pressure; may explode if heated.
H304 : May be fatal if swallowed and enters airways.
H336 : May cause drowsiness or dizziness.
H411 : Toxic to aquatic life with long lasting effects.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

