

ANTI SPATTER

Reference : 10955

1. General description

Традиционный аэрозоль на основе масла, разлагаемый под воздействием растворителя и естественным путем. Невоспламеняющийся в целях повышения безопасности его использования. Экономит время очистки, не давая брызгам приставать к сварочному оборудованию, обрабатываемым деталям и зажимным приспособлениям. Не содержит силиконов (используйте Bio Weld производства компании CRC для беспроблемного цинкования).



2. Features

- Economical in use, due to the thin film performance.
- Extended nozzle stand time and increased stability of the welding arc, ensuring free gas flow.
- Does not contain silicones.
- Based on non flammable solvents.
- Non corrosive.
- Protects metals and alloys.
- Convenient 360° (including inverted position) spray valve for aerosols.
- High purity CO2 propellant, giving an active product content of 95%.

3. Applications

- Welding equipment.
- Manual, semi-automatic welding equipment as well as welding robots.

4. Directions

- Apply a thin even film.
- Spatters can be removed with a wire brush.
- If post treatment involves Hot Dip Galvanizing, follow the cleaning instructions from the galvanizing

**ANTI SPATTER**

Reference : 10955

company or the galvanizing federations (info via International Zinc Association: www.iza.com)

- Protect aerosol against heat sources, welding spatters, etc...
- Use only with adequate ventilation.
- To remove residues or excess product, use one of the CRC cleaners.
- **A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.**

5. Typical product data (without propellant)

Appearance	Аэрозоль Жидкость	Большого объема Жидкость
Color	бесцветный	бледно-желтый
Odour	Характерный запах	Характерный запах
Density	1.123 g/cm ³ (@ 20°C)	1.292 g/cm ³ (@ 20°C)
Flash Point	Нет	Нет
Density active product	0.92 g/cm ³ (@ 20°C)	0.92
Flash point active product	290 °C (Closed Cup)	290 °C
Typical coat weight	2 - 5 μ	2 - 5 μ

6. Packaging

Аэрозоль	12x400 ML
Большого объема	20 L
	4x5 L

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment, conditions of use and the unpredictable human factors involved, we recommend that our products are tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied. This Technical Data Sheet may already have been revised as a result of a change in legislation, availability of components or newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: www.crcind.com We recommend that you register on our website for this product, thus enabling you to automatically receive any future updates.

Version CRC_GREEN-ANTI_SPATTER-20090619

Date 19/06/2009



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com

