



## 1. General description



## 2. Features

- No ozone depleting action.
- Does not leave a residue.
- Non corrosive.
- Non conductive.
- Safe on all metal surfaces, does not stain.
- Safe on most rubbers, plastics and coatings. Test on sensitive or stressed materials before use.
- Convenient 360° (including inverted position) spray valve for aerosols.
- High purity CO2 propellant, giving an active product content of 95%.

## 3. Applications

- Fast cleaning action for removal of flux traces, light oils, finger prints and other contaminants.
- Electro-mechanical assemblies.
- Control assemblies.



- All electrical contacts.
- Electronic components.
- Printed circuit boards.
- Sensors.

#### 4. Directions

- Spray liberally and allow to run off.
- Use extension tube for more precise application.
- Use only with adequate ventilation.
- Test before use on sensitive materials.
- Do not use on energized equipment.
- Do not use on sensitive electronic equipment.
- Allow to dry completely before reactivation.
- Protect and re-lubricate if necessary.
- To remove oxide and carbon deposits, use an abrasive and rinse off intermittently with CRC Contact Cleaner.
- **A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.**

#### 5. Typical product data (without propellant)

Appearance	Likwidu.
Kulur	Bla kulur.
Riħa	Solvent.
Density	0.76 g/cm <sup>3</sup> (@ 20°C).
Flash Point	< 0 °C (Tazza Magħluqa)
Temperatura tat-tqabid minnu nnifsu	> 200 °C
Dielectric strenght active product	1.99 kV
Surface tension active product	22 mN/m
Kauri Butanol value active product	48

#### 6. Packaging

ajrusol	12x200 ML
	12x300 ML
	12x500 ML



Manufactured by :  
**CRC Industries Europe bvba**  
Touwslagerstraat 1  
9240 Zele Belgium  
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34  
[www.crcind.com](http://www.crcind.com)

2/1





---

24x200 ML

## 7. Remarks

Highly flammable product, not to be used on live equipment.

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment, conditions of use and the unpredictable human factors involved, we recommend that our products are tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied. This Technical Data Sheet may already have been revised as a result of a change in legislation, availability of components or newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: [www.crcind.com](http://www.crcind.com) We recommend that you register on our website for this product, thus enabling you to automatically receive any future updates.

Version CRC\_GREEN-CONTACT\_CLEANER-20131002

Date



Manufactured by :  
**CRC Industries Europe bvba**  
Touwslagerstraat 1  
9240 Zele Belgium  
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34  
[www.crcind.com](http://www.crcind.com)

