



1. General description



2. Features

- Inaqqas il-plakka u l-vernìc fil-karburaturi u partijiet tas-sistema tal-karburant.
- Inaqqas l-ossidazzjoni ta' karburant anki meta jiġi f'kuntatt ma' tagħmir tal-bronż fis-sistema tal-karburant.
- Jipprovdi Protezzjoni Kontra l-Korrużjoni.
- Jista' jintuża f'magni ta' żewġ u 4 ċikli. F'magni ta' 2 ċikli žid ukoll iż-żejt normali ta' 2 ċikli separatament mal-karburant

3. Applications

- Stabilizzatur tal-fjuwil adattat għal petrol u diżil bhala karburant.
- L-applikazzjoni għal petrol hija prinċipalment maħsuba għal magni żgħar u għal hażna fit-tul ta' vetturi.
- Can be used to meet the "Premium Diesel" definitions for:
 1. ASTM D2274 Stability during fuel storage.
 2. Thermal Fuel Stability using the 180 minute, 150°C Oxidation Test.
 3. Corrosion Protection ASTM D665A or ASTM D665B.

4. Directions



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com





- Immonta ż-żennuna fuq ir-reċipjent.
- Ferra l-kontenut sħiħ tar-reċipjent f'tank tal-karburant kwazi vojt.
- Imla t-tank tal-karburant
- **A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.**

5. Typical product data (without propellant)

Appearance	Likwidu.
Kulur	Ikkulurit.
Riħa	Riħa karatteristika.
Density	0.787 g/cm ³ (@ 20°C).
Flash Point	30 °C

6. Packaging

BO	24x200 ML	Ref. : 32039
----	-----------	--------------

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment, conditions of use and the unpredictable human factors involved, we recommend that our products are tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied. This Technical Data Sheet may already have been revised as a result of a change in legislation, availability of components or newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: www.crcind.com We recommend that you register on our website for this product, thus enabling you to automatically receive any future updates.

Version CRC_RED-FUEL_STABILIZER-20140715

Date



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com

