

## 1. General description



## 2. Features

- Excellent sealing properties.
- Non corrosive.
- Safe on all metal surfaces, does not stain.
- Safe on most rubbers, plastics and coatings. Test on sensitive or stressed materials before use.
- Protects metals and alloys.

## 3. Applications

- Cooling system on combustion engines.
- Not for cooling circuits having a built-in filter unit.

## 4. Directions

- Shake well before use.
- Add the complete can, undiluted. One can is sufficient for a passengers car.
- Run the engine for 10 minutes with the heater on.
- Stop engine.
- Fill or topp up the system with cooling liquid as prescribed by the manufacturer.



- Do not store the product at temperatures below 0°C.
- A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.

### 5. Typical product data (without propellant)

Appearance	Tekočina.
Barva	Rjavo.
Vonj	Karakterističen vonj.
Density	1.04 g/cm <sup>3</sup> (@ 20°C).

### 6. Packaging

BO	24x200 ML	Ref. : 32036
	6x200 ML	Ref. : 32036

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment, conditions of use and the unpredictable human factors involved, we recommend that our products are tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied. This Technical Data Sheet may already have been revised as a result of a change in legislation, availability of components or newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: [www.crcind.com](http://www.crcind.com) We recommend that you register on our website for this product, thus enabling you to automatically receive any future updates.

Version CRC\_RED-RADIATOR\_SEAL\_II-20140715

Date



Manufactured by :  
**CRC Industries Europe bvba**  
Touwslagerstraat 1  
9240 Zele Belgium  
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34  
[www.crcind.com](http://www.crcind.com)

