

ROBSIL LUBORSIL F/NF

Ref. : 50914/50621

1. GENERAL DESCRIPTION

Mould release for plastic and rubber.

2. FEATURES

Thanks to its good superficial spreading, **LUBORSIL** offers a colourless, high quality film, having an operational temperature up to 200°C.

3. APPLICATIONS

LUBORSIL is the typical mould release agent for lots of plastic materials: Polystyrene, Polyvinyl, high density Polyethylene ...

LUBORSIL is also recommended in extrusion operations or in the mould release of rubber.

In the thermo-welding of plastic bags, LUBORSIL increases life-time of the PTFE texture protectors of the welding blades.

NB : F = flammable

NF = non-flammable

4. DIRECTIONS

A safety data sheet (MSDS) according to EU directive 91/155/EEC and amendments is available for all products.

5. TYPICAL PRODUCT DATA (without propellant).

- Silicone oil based on méthylpolysiloxane.
- Dissolved in hydrocarbons.
- Viscosity 300 cPs.

6. PACKAGING

Ref. : 50914 Aerosol de 650 ml brut – 500 ml net **Ref. : 50621** Aerosol de 650 ml brut – 500 ml net Carton de 12 aerosols. Carton de 12 aerosols.

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment and conditions and the unpredictable human factors involved, we recommend that our products be tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied.

This Technical Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: <u>www.crcind.com</u>. We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.

Versie : 50914/50621 03 0903 02 Datum : 28 August 2006



Manufactured by : CRC Industries Europe BVBA Touwslagerstraat 1 – 9240 Zele – Belgium Tel (32) (0) 52/45.60.11 Fax (32) (0) 52/45.00.34 www.crcind.com

